

Item No. Description

1) **SDL1P1050H40K** LED POWER-SELECT STADIUM/800-900-1000W/50K/40°/BLACK/200-480V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SDL1P1050H40K>
View TDS: http://www.pqlighting.com/documents/SDL1P1050H40K_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Stadium	Sports Lighting
158692	159	50,000	60	Qualified	6.0	Premium	5/22/26	S-4DTSJH		

2) **SDL1P0650U30K** LED POWER-SELECT STADIUM/400-500-600W/50K/30°/BLACK/100-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SDL1P0650U30K>
View TDS: http://www.pqlighting.com/documents/SDL1P0650U30K_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Stadium	Sports Lighting
101243	169	50,000	60	Qualified	6.0	Premium	5/18/26	S-G9F45J		

3) **AY422P1753CUW** LED 2FT SPEC-SELECT LINEAR HL HIGH BAY/140-160-175W/35-40-50K/110°/FROST/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AY422P1753CUW>
View TDS: http://www.pqlighting.com/documents/AY422P1753CUW_TDS.pdf

DLC Qualification No. AY422P1753CU(Y)-[Blank,P,M,B]-[Blank,E]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
26600	152	50,000	60	Qualified	6.0	Premium	5/7/26	S-4FRJVZ		

4) **LT8U6H135C1** LED TONE-SELECT 13WT8/U6/30-35-40-50-65K/TYPE A & B - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LT8U6H135C1>
View TDS: http://www.pqlighting.com/documents/LT8U6H135C1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Hybrid Type A & B	Dual Mode Internal Driver (UL Type A and Type B)
130	9	50,000	60	Qualified	6.0	Standard	4/27/26	S-B7TSV0		

5) **HCO2UKAP1503CG** LED SPEC-SELECT COMPASS HIGH BAY/80-120-150W/30-40-50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO2UKAP1503CG>
View TDS: http://www.pqlighting.com/documents/HCO2UKAP1503CG_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21208	142	50,000	60	Qualified	5.1	Premium	12/31/25	S-SPZG5Q		

Item No. Description

6) **HCO2UKBP2403CG** LED SPEC-SELECT COMPASS HIGH BAY/150-190-240W/30-40-50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO2UKBP2403CG>

View TDS: http://www.pqlighting.com/documents/HCO2UKBP2403CG_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
33822	141	50,000	60	Qualified	5.1	Premium	12/31/25	S-8QFC43		

7) **HCO2UKCP3003CG** LED SPEC-SELECT COMPASS HIGH BAY/200-240-300W/30-40-50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO2UKCP3003CG>

View TDS: http://www.pqlighting.com/documents/HCO2UKCP3003CG_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
41962	140	50,000	60	Qualified	5.1	Premium	12/31/25	S-MC90JG		

8) **HCB1UKBP2403C3B** LED SPEC-SELECT COMPASS HIGH BAY/150-190-240W/30-40-50K/60-90-120°/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCB1UKBP2403C3B>

View TDS: http://www.pqlighting.com/documents/HCB1UKBP2403C3B_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
37430	157	50,000	60	Qualified	5.1	Premium	12/31/25	S-BBSL7J		

9) **HCO1HKB3450G** LED COMPASS HIGH BAY/240W/50K/DIMM/ISO/277-480V/BLACK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1HKB3450G>

View TDS: http://www.pqlighting.com/documents/HCO1HKB3450G_TDS.pdf

DLC Qualification No. HCO1-H-[K,W,C]-240W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
34800	145	50,000	60	Qualified	5.1	Premium	12/29/25	S-N5LDJT		

10) **HCO1HKB2750G** LED COMPASS HIGH BAY/190W/50K/DIMM/ISO/277-480V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1HKB2750G>

View TDS: http://www.pqlighting.com/documents/HCO1HKB2750G_TDS.pdf

DLC Qualification No. HCO1-H-[K,W,C]-190W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
28500	150	50,000	60	Qualified	5.1	Premium	12/29/25	S-Y5NRWZ		

Item No. Description

11) **HCO1HWB3450G** **LED COMPASS HIGH BAY/240W/50K/DIMM/ISO/277-480V/WHITE - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1HWB3450G>

View TDS: http://www.pqlighting.com/documents/HCO1HWB3450G_TDS.pdf

DLC Qualification No. **HCO1-H-[K,W,C]-240-50K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
34800	145	50,000	60	Qualified	5.1	Premium	12/29/25	S-N5LDJT		

12) **SDL1P0650H30K** **LED POWER-SELECT STADIUM/400-500-600W/50K/200-480V/30DEG - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SDL1P0650H30K>

View TDS: http://www.pqlighting.com/documents/SDL1P0650H30K_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Stadium	Architectural Flood and Spot Luminaires
101243	169	50,000	60	Qualified	5.1	Premium	11/18/25	S-5T6DLS		

13) **HLT1CP1352CUW** **LED 2FT SPEC-SELECT™ LINEAR HIGH BAY/100-115-135W/40-50K/DIMM/ISO/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLT1CP1352CUW>

View TDS: http://www.pqlighting.com/documents/HLT1CP1352CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
20250	150	50,000	60	Qualified	5.1	Premium	11/13/25	S-R0PXD8		

14) **HLT1CP2002CUW** **LED 1.9FT SPEC-SELECT LINEAR HIGH BAY/155-185-200W/40-50K/DIMM/ISO/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLT1CP2002CUW>

View TDS: http://www.pqlighting.com/documents/HLT1CP2002CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
30000	150	50,000	60	Qualified	5.1	Premium	11/13/25	S-3GMD1M		

15) **HLT1CP2702CUW** **LED 2FT SPEC-SELECT™ LINEAR HIGH BAY/200-230-270W/40-50K/DIMM/ISO/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLT1CP2702CUW>

View TDS: http://www.pqlighting.com/documents/HLT1CP2702CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
40500	150	50,000	60	Qualified	5.1	Premium	11/13/25	S-BQGG7S		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

As of: 6/4/2026

Page No: 3

Item No. Description

16) **HLT1CP4002CUW** LED 2FT SPEC-SELECT™ LINEAR HIGH BAY/270-340-400W/40-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLT1CP4002CUW>
View TDS: http://www.pqlighting.com/documents/HLT1CP4002CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
60000	150	50,000	60	Qualified	5.1	Premium	11/13/25	S-CFBTGP	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

17) **BLSR122P305CUW** LED 2X2 SPEC-SELECT™ PANEL RETROFIT 15/18/25/30W/30/35/40/50/65K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=BLSR122P305CUW>
View TDS: http://www.pqlighting.com/documents/BLSR122P305CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4230	141	50,000	60	Qualified	5.1	Premium	9/5/25	S-6GYLP9	BLP Panel - Retrofit	Integrated Retrofit Kits for 2x2 Luminaires

18) **BLSR124P345CUW** LED 2X4 SPEC-SELECT™ PANEL RETROFIT /25/30/35W/30/35/40/50/65K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=BLSR124P345CUW>
View TDS: http://www.pqlighting.com/documents/BLSR124P345CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4930	145	50,000	60	Qualified	5.1	Premium	9/5/25	S-0BJXZX	BLP Panel - Retrofit	Integrated Retrofit Kits for 2x4 Luminaires

19) **MCR112P1003CW** LED SPEC-SELECT™ DESIGNER CANOPY 30-50-75-100W/30-40-50K/ISO/TYPE V/120-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=MCR112P1003CW>
View TDS: http://www.pqlighting.com/documents/MCR112P1003CW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
14000	140	50,000	60	Qualified	5.1	Premium	8/8/25	S-QSHP8V	DESIGNER CANOPY	Parking Garage Luminaires

20) **BLW1UW14P140** LED 1X4 POWER-SELECT™ PANEL/BLP/25-30-40W/40K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=BLW1UW14P140>
View TDS: http://www.pqlighting.com/documents/BLW1UW14P140_TDS.pdf

DLC Qualification No. BLW1-U-W-14-P1-40K-[Blank,EM]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5200	130	50,000	60	Qualified	5.1	Premium	7/18/25	S-X3FM3N	1X4	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

Item No. Description

21) **SBT14303CUW** **LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 1X4/30W/30-35-40K/DIMM/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT14303CUW>

View TDS: http://www.pqlighting.com/documents/SBT14303CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
3750	125	50,000	60	Qualified	5.1	Premium	6/25/25	S-YFW548		1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

22) **SBT22303CUW** **LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 2X2/30W/30-35-40K/DIMM/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT22303CUW>

View TDS: http://www.pqlighting.com/documents/SBT22303CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
3810	127	50,000	60	Qualified	5.1	Premium	6/25/25	S-W0CHL5		2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

23) **SBT24453CUW** **LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 2X4/45W/30-35-40K/DIMM/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT24453CUW>

View TDS: http://www.pqlighting.com/documents/SBT24453CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
5625	125	50,000	60	Qualified	5.1	Premium	6/25/25	S-ND8JBP		2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

24) **SBT22153CUW** **LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 2X2/15W/30-35-40K/DIMM/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT22153CUW>

View TDS: http://www.pqlighting.com/documents/SBT22153CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
1935	129	50,000	60	Qualified	5.1	Premium	6/25/25	S-0VSLXX		2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

25) **SBT22253CUW** **LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 2X2/25W/30-35-40K/DIMM/120-277V - DLC®**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT22253CUW>

View TDS: http://www.pqlighting.com/documents/SBT22253CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
3200	128	50,000	60	Qualified	5.1	Premium	6/25/25	S-PRZ0W3		2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

Item No. Description

26) **SBT24303CUW** LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 2X4/30W/30-35-40K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT24303CUW>

View TDS: http://www.pqlighting.com/documents/SBT24303CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
3960	132	50,000	60	Qualified	5.1	Premium	6/25/25	S-JC330P		2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

27) **SBT14153CUW** LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 1X4/15W/30-35-40K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT14153CUW>

View TDS: http://www.pqlighting.com/documents/SBT14153CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
1905	127	50,000	60	Qualified	5.1	Premium	6/25/25	S-VDPHCV		1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

28) **SBT24553CUW** LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 2X4/55W/30-35-40K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT24553CUW>

View TDS: http://www.pqlighting.com/documents/SBT24553CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
7150	130	50,000	60	Qualified	5.1	Premium	6/25/25	S-7LS94H		2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

29) **SBT14253CUW** LED SKY-BRITE® VOLUMETRIC LED LUMINAIRE 1X4/25W/30-35-40K/DIMM/120-277V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SBT14253CUW>

View TDS: http://www.pqlighting.com/documents/SBT14253CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
3150	126	50,000	60	Qualified	5.1	Premium	6/25/25	S-YBXL52		1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

30) **AST1UBA14350** LED STEALTH™/100W/50K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA14350>

View TDS: http://www.pqlighting.com/documents/AST1UBA14350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-100W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	
14192	143	50,000	60	Qualified	5.1	Premium	5/31/25	S-PHM52		Outdoor Pole/Arm-Mounted Area and Roadway Luminaires

Item No. Description

31) **LT88BP405C1** LED SPEC-SELECT™ 8FT 24/32/40WT8/30-35-40-50-65K/TYPE B/DE/Fa8/R17d - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LT88BP405C1>
View TDS: http://www.pqlighting.com/documents/LT88BP405C1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5200	130	50,000	60	Qualified	5.1	Standard	4/8/25	S-JHJGYJ	T8 Direct Wire - 8FT	Internal Driver/Line Voltage (UL Type B) Lamps

32) **SFL122405CUW** LED SPEC-SELECT 2X2 SLIM FRAME LIGHT 20-25-30-35-40W/30/35/40/50/65K/DIMM 120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SFL122405CUW>
View TDS: http://www.pqlighting.com/documents/SFL122405CUW_TDS.pdf

DLC Qualification No. SFL22405CU

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5000	125	50,000	60	Qualified	5.1	Premium	2/26/25	S-LBGJH0	2x2 SFL	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

33) **SFL124605CUW** LED SPEC-SELECT 2X4 SLIM FRAME LIGHT 35-40-50-55-60W/30/35/40/50/65K/DIMM 120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SFL124605CUW>
View TDS: http://www.pqlighting.com/documents/SFL124605CUW_TDS.pdf

DLC Qualification No. SFL24605CU

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
7500	125	50,000	60	Qualified	5.1	Premium	2/26/25	S-84GVHX	2x4 SFL	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

34) **TCR124P13C** LED 2X4 SPEC-SELECT™ CENTER BASKET TROFFER RETROFIT/25/30/35W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=TCR124P13C>
View TDS: http://www.pqlighting.com/documents/TCR124P13C_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4550	130	50,000	60	Qualified	5.1	Standard	2/24/25	S-8H9283	Troffer - Center Basket Retrofit	Integrated Retrofit Kits for 2x4 Luminaires

35) **TCR122P13C** LED 2X2 SPEC-SELECT™ CENTER BASKET TROFFER RETROFIT/20/25/30W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=TCR122P13C>
View TDS: http://www.pqlighting.com/documents/TCR122P13C_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3900	130	50,000	60	Qualified	5.1	Standard	2/24/25	S-BR81PX	Troffer - Center Basket Retrofit	Integrated Retrofit Kits for 2x2 Luminaires

Item No. Description

36) **SPC11435ACUW** LED 1X4 SPECTRA PANEL/35W/30-50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SPC11435ACUW>

View TDS: http://www.pqlighting.com/documents/SPC11435ACUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4550	130	50,000	60	Qualified	5.1	Premium	2/20/25	S-5RQVSC	1x4 Spectra	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

37) **SPC12235ACUW** LED 2X2 SPECTRA PANEL/35W/30-50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SPC12235ACUW>

View TDS: http://www.pqlighting.com/documents/SPC12235ACUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4550	130	50,000	60	Qualified	5.1	Premium	2/20/25	S-42ZM59	2x2 Spectra	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

38) **SPC12450ACUW** LED 2X4 SPECTRA PANEL/50W/30-50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=SPC12450ACUW>

View TDS: http://www.pqlighting.com/documents/SPC12450ACUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
6500	130	50,000	60	Qualified	5.1	Premium	2/20/25	S-GK4QLQ	2x4 Spectra	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

39) **LT8U1H133C1** LED TONE-SELECT™ 13WT8/U 1 5/8IN/35-40-50K/TYPE A & B - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LT8U1H133C1>

View TDS: http://www.pqlighting.com/documents/LT8U1H133C1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1900	123	50,000	60	Qualified	5.1	Standard	1/24/25	S-XSMBJG	U-Shape Hybrid	Dual Mode Internal Driver (UL Type A and Type B)

40) **90454** LED 2FT TONE-SELECT™ 8WT8/30-35-40-50-65K/TYPE A & B/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90454>

View TDS: http://www.pqlighting.com/documents/90454_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1150	121	50,000	60	Qualified	5.1	Standard	11/22/24	S-XJYPL9	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

Item No. Description

41) **90455** LED 3FT TONE-SELECT™ 11WT8/30-35-40-50-65K/TYPE A & B/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90455>

View TDS: http://www.pqlighting.com/documents/90455_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1570	121	50,000	60	Qualified	5.1	Standard	11/13/24	S-R94QFX	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

42) **LT84H125CS1** LED 4FT TONE-SELECT™ 12WT8/30-35-40-50-65K/TYPE A & B/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LT84H125CS1>

View TDS: http://www.pqlighting.com/documents/LT84H125CS1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1700	121	50,000	60	Qualified	5.1	Standard	11/13/24	S-87QG9Z	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

43) **LT84H155CS1** LED 4FT TONE-SELECT™ 15WT8/30-35-40-50-65K/TYPE A & B/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LT84H155CS1>

View TDS: http://www.pqlighting.com/documents/LT84H155CS1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2100	120	50,000	60	Qualified	5.1	Standard	11/13/24	S-SD0G61	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

44) **91558** LED 4FT 14WT8/50K/TYPE B/SE & DE/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91558>

View TDS: http://www.pqlighting.com/documents/91558_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	10/28/24	S-9ZWPWZ	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps

45) **91599** LED 4FT 18.5WT8/40K/TYPE B/SE & DE- SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91599>

View TDS: http://www.pqlighting.com/documents/91599_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2600	141	50,000	60	Qualified	5.1	Standard	10/28/24	S-V2PT9L	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps

Item No. Description

46) **91557** LED 4FT 14WT8/40K/TYPE B/SE & DE/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91557>

View TDS: http://www.pqlighting.com/documents/91557_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps
1800	129	50,000	60	Qualified	5.1	Standard	10/28/24	S-TFZSK3		

47) **91555** LED 4FT 14WT8/30K/TYPE B/SE & DE/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91555>

View TDS: http://www.pqlighting.com/documents/91555_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps
1700	121	50,000	60	Qualified	5.1	Standard	10/28/24	S-SN3NGB		

48) **91556** LED 4FT 14WT8/35K/TYPE B/SE & DE/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91556>

View TDS: http://www.pqlighting.com/documents/91556_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps
1700	121	50,000	60	Qualified	5.1	Standard	10/28/24	S-CFGXFC		

49) **91598** LED 4FT 18.5WT8/35K/TYPE B/SE & DE- SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91598>

View TDS: http://www.pqlighting.com/documents/91598_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps
2500	135	50,000	60	Qualified	5.1	Standard	10/28/24	S-QJZZLF		

50) **91600** LED 4FT 18.5WT8/50K/TYPE B/SE & DE- SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91600>

View TDS: http://www.pqlighting.com/documents/91600_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps
2600	141	50,000	60	Qualified	5.1	Standard	10/28/24	S-ZVF5TL		

Item No. Description

51) **91198** LED 4FT 17WT8/40K/TYPE B/SE & DE- SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91198>
View TDS: http://www.pqlighting.com/documents/91198_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	129	50,000	60	Qualified	5.1	Standard	10/28/24	S-QWFMHT	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps

52) **HCO1UKA2150G** LED COMPASS HIGH BAY/150W/50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UKA2150G>
View TDS: http://www.pqlighting.com/documents/HCO1UKA2150G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-140W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
33600	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-B11KC4	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

53) **HCO1UWA2150G** LED COMPASS HIGH BAY/150W/50K/DIMM/ISO/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UWA2150G>
View TDS: http://www.pqlighting.com/documents/HCO1UWA2150G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-150W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-JN0VS9	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

54) **HCO1UKB3450G** LED COMPASS HIGH BAY/240W/50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UKB3450G>
View TDS: http://www.pqlighting.com/documents/HCO1UKB3450G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-240W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
33600	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-KFC548	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

55) **HCO1UWB3450G** LED COMPASS HIGH BAY/240W/50K/DIMM/ISO/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UWB3450G>
View TDS: http://www.pqlighting.com/documents/HCO1UWB3450G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-240W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
33600	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-KFC548	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

Item No. Description

56) **HCO1UKB2750G** LED COMPASS HIGH BAY/190W/50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UKB2750G>

View TDS: http://www.pqlighting.com/documents/HCO1UKB2750G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-190W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
33600	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-7S48SG		

57) **HCO1UKA1250G** LED COMPASS HIGH BAY/85W/50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UKA1250G>

View TDS: http://www.pqlighting.com/documents/HCO1UKA1250G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-85W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-JZ166C		

58) **HCO1UWA1250G** LED COMPASS HIGH BAY/85W/50K/DIMM/ISO/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UWA1250G>

View TDS: http://www.pqlighting.com/documents/HCO1UWA1250G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-85W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-JZ166C		

59) **HCO1UWA1750G** LED COMPASS HIGH BAY/120W/50K/DIMM/ISO/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UWA1750G>

View TDS: http://www.pqlighting.com/documents/HCO1UWA1750G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-120W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-PZ29NC		

60) **HCO1UKA1750G** LED COMPASS HIGH BAY/120W/50K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UKA1750G>

View TDS: http://www.pqlighting.com/documents/HCO1UKA1750G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-120W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-PZ29NC		

Item No. Description

61) **HCO1UKA2140G** LED COMPASS HIGH BAY/150W/40K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UKA2140G>

View TDS: http://www.pqlighting.com/documents/HCO1UKA2140G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-150W-40K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-1636RT		

62) **HCO1UWB2750G** LED COMPASS HIGH BAY/190W/50K/DIMM/ISO/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UWB2750G>

View TDS: http://www.pqlighting.com/documents/HCO1UWB2750G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-190W-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
33600	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-7S48SG		

63) **HCO1UWA1740G** LED COMPASS HIGH BAY/120W/40K/DIMM/ISO/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UWA1740G>

View TDS: http://www.pqlighting.com/documents/HCO1UWA1740G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-120W-40K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-JCGMR3		

64) **HCO1UKA1240G** LED COMPASS HIGH BAY/85W/40K/DIMM/ISO/100-277V/BLK - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HCO1UKA1240G>

View TDS: http://www.pqlighting.com/documents/HCO1UKA1240G_TDS.pdf

DLC Qualification No. HCO1-U-[K,W,C]-85W-40K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21000	140	50,000	60	Qualified	5.1	Premium	10/25/24	S-DVLLYW		

65) **BLW1UW22P140** LED 2X2 POWER-SELECT™ PANEL/BLP/20-25-30W/40K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=BLW1UW22P140>

View TDS: http://www.pqlighting.com/documents/BLW1UW22P140_TDS.pdf

DLC Qualification No. BLW1-U-W-22-P1-40K-[Blank,EM]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X2	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
3960	132	50,000	60	Qualified	5.1	Premium	10/24/24	S-P1QKZ7		

Item No. Description

66) **BLW1UW24P140** LED 2X4 POWER-SELECT™ PANEL/BLP/25-30-40W/40K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=BLW1UW24P140>

View TDS: http://www.pqlighting.com/documents/BLW1UW24P140_TDS.pdf

DLC Qualification No. **BLW1-U-W-24-P1-40K-[Blank,EM]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5200	130	50,000	60	Qualified	5.1	Premium	10/24/24	S-ZC594R	2X4	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

67) **91199** LED 4FT 17WT8/50K/TYPE B/SE & DE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91199>

View TDS: http://www.pqlighting.com/documents/91199_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	129	50,000	60	Qualified	5.1	Standard	9/23/24	S-Y3T0MZ	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps

68) **91511** LED 4FT 12WT8/35K/TYPE A & B - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91511>

View TDS: http://www.pqlighting.com/documents/91511_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1700	121	50,000	60	Qualified	5.1	Standard	9/23/24	S-0WPS11	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

69) **91513** LED 4FT 12WT8/50K/TYPE A & B - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91513>

View TDS: http://www.pqlighting.com/documents/91513_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	9/23/24	S-GSHW8M	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

70) **90413** LED 4FT 15WT8/50K/TYPE A & B/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90413>

View TDS: http://www.pqlighting.com/documents/90413_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	126	50,000	60	Qualified	5.1	Standard	8/21/24	S-R743XX	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

Item No. Description

71) **ACS1HBAP233C** LED SPEC-SELECT™ AREA LIGHT/80-100-120-150W/30-40-50K/DIMM/PHOTOCELL/200-480V/BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=ACS1HBAP233C>

View TDS: http://www.pqlighting.com/documents/ACS1HBAP233C_TDS.pdf

DLC Qualification No. ACS1-A-D-H-CCT

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
21716	146	50,000	60	Qualified	5.1	Premium	8/8/24	S-RN349Y		

72) **ACS1HBBP233C** LED SPEC-SELECT™ AREA LIGHT/150-200-240-300W/30-40-50K/DIMM/PHOTOCELL/200-480V/BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=ACS1HBBP233C>

View TDS: http://www.pqlighting.com/documents/ACS1HBBP233C_TDS.pdf

DLC Qualification No. ACS1-B-D-H-CCT

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
45754	144	50,000	60	Qualified	5.1	Premium	8/8/24	S-LNTDWK		

73) **90015** LED CANOPY/100-120-150W/40-50-57K/DIMM/120-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90015>

View TDS: http://www.pqlighting.com/documents/90015_TDS.pdf

DLC Qualification No. CPY-WS-[C;CS;CM;CI;CP;CSM;CSI;CSP;CSMP;CSIP]-CCT

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Canopy	Fuel Pump Canopy Luminaires
22097	146	50,000	60	Qualified	5.1	Premium	7/22/24	S-QBBS5M		

74) **83693** LED SPEC-SELECT™ MINI WALL PACK/15-20-25W/30-40-50K/DIMM/120-277V/BRONZE/PC OPTION - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83693>

View TDS: http://www.pqlighting.com/documents/83693_TDS.pdf

DLC Qualification No. MWP-SS25-W-8-[PH,BLANK]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Wall Pack	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
3200	128	50,000	60	Qualified	5.1	Premium	7/12/24	S-09J3S4		

75) **55548** LED 4FT ARCHITECTURAL DESIGNER STRIP/35W/50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55548>

View TDS: http://www.pqlighting.com/documents/55548_TDS.pdf

DLC Qualification No. 55548-[Blank,EM]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Strip	Direct Linear Ambient Luminaires
4725	135	50,000	60	Qualified	5.1	Standard	7/12/24	S-JTDRX1		

Item No. Description

76) **55548-8WEM** LED 4FT ARCHITECTURAL DESIGNER STRIP/35W/50K/DIMM/120-277V/8W EMB- DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55548-8WEM>

View TDS: http://www.pqlighting.com/documents/55548-8WEM_TDS.pdf

DLC Qualification No. **55548-[Blank,EM]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Strip	Direct Linear Ambient Luminaires
4725	135	50,000	60	Qualified	5.1	Standard	7/12/24	S-JTDRX1		

77) **AST1UBA11350** LED STEALTH™/80W/50K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA11350>

View TDS: http://www.pqlighting.com/documents/AST1UBA11350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-80W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
11581	145	50,000	60	Qualified	5.1	Premium	5/31/24	S-R61F84		

78) **AST1UBB26N50** LED STEALTH™/185W/50K/60°/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB26N50>

View TDS: http://www.pqlighting.com/documents/AST1UBB26N50_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-185W-N-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
25328	138	50,000	60	Qualified	5.1	Premium	5/31/24	S-YNWDF		

79) **AST1UBB26350** LED STEALTH™/185W/50K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB26350>

View TDS: http://www.pqlighting.com/documents/AST1UBB26350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-185W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
25484	139	50,000	60	Qualified	5.1	Premium	5/31/24	S-9XRRD4		

80) **AST1UWB26350** LED STEALTH™/185W/50K/TYPE III/DIMM/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UWB26350>

View TDS: http://www.pqlighting.com/documents/AST1UWB26350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-185W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
25484	139	50,000	60	Qualified	5.1	Premium	5/31/24	S-9XRRD4		

Item No. Description

81) **AST1UBB26550** LED STEALTH™/185W/50K/TYPE V/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB26550>

View TDS: http://www.pqlighting.com/documents/AST1UBB26550_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-185W-5-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
26402	143	50,000	60	Qualified	5.1	Premium	5/31/24	S-V2VP8M		

82) **AST1UBC43350** LED STEALTH™/300W/50K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBC43350>

View TDS: http://www.pqlighting.com/documents/AST1UBC43350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-2-300W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
41961	140	50,000	60	Qualified	5.1	Premium	5/31/24	S-K0XCDX		

83) **ACS1UBAP233C** LED SPEC-SELECT™ AREA LIGHT/80-100-120-150W/30-40-50K/DIMM/100-277V/BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=ACS1UBAP233C>

View TDS: http://www.pqlighting.com/documents/ACS1UBAP233C_TDS.pdf

DLC Qualification No. **ACS1-A-D-U-CCT**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
21489	145	50,000	60	Qualified	5.1	Premium	5/31/24	S-QLK2S6		

84) **ACS1UBBP233C** LED SPEC-SELECT™ AREA LIGHT/150-200-240-300W/30-40-50K/DIMM/100-277V/BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=ACS1UBBP233C>

View TDS: http://www.pqlighting.com/documents/ACS1UBBP233C_TDS.pdf

DLC Qualification No. **ACS1-B-D-U-CCT**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
45306	143	50,000	60	Qualified	5.1	Premium	5/31/24	S-HK2XJR		

85) **AST1UBA08N40** LED STEALTH™/60W/40K/60°/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA08N40>

View TDS: http://www.pqlighting.com/documents/AST1UBA08N40_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-60W-N-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8665	145	50,000	60	Qualified	5.1	Premium	5/31/24	S-RPQKFK		

Item No. Description

86) **AST1UBA08N50** LED STEALTH™/60W/50K/60°/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA08N50>

View TDS: http://www.pqlighting.com/documents/AST1UBA08N50_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-60W-N-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8665	145	50,000	60	Qualified	5.1	Premium	5/31/24	S-RPQKFK		

87) **AST1UBA08340** LED STEALTH™/60W/40K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA08340>

View TDS: http://www.pqlighting.com/documents/AST1UBA08340_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-60W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8710	146	50,000	60	Qualified	5.1	Premium	5/31/24	S-Y43CD5		

88) **AST1UBA08350** LED STEALTH™/60W/50K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA08350>

View TDS: http://www.pqlighting.com/documents/AST1UBA08350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-60W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8710	146	50,000	60	Qualified	5.1	Premium	5/31/24	S-Y43CD5		

89) **AST1UBA08540** LED STEALTH™/60W/40K/TYPE V/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA08540>

View TDS: http://www.pqlighting.com/documents/AST1UBA08540_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-60W-5-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8982	150	50,000	60	Qualified	5.1	Premium	5/31/24	S-GWCNYS		

90) **AST1UBA11N40** LED STEALTH™/80W/40K/60°/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA11N40>

View TDS: http://www.pqlighting.com/documents/AST1UBA11N40_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-80W-N-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
11467	143	50,000	60	Qualified	5.1	Premium	5/31/24	S-G8S79C		

Item No. Description

91) **AST1UBA11N50** LED STEALTH™/80W/50K/60°/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA11N50>

View TDS: http://www.pqlighting.com/documents/AST1UBA11N50_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-80W-N-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
11467	143	50,000	60	Qualified	5.1	Premium	5/31/24	S-G8S79C		

92) **AST1UBA11340** LED STEALTH™/80W/40K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA11340>

View TDS: http://www.pqlighting.com/documents/AST1UBA11340_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-80W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
11581	144	50,000	60	Qualified	5.1	Premium	5/31/24	S-R61F84		

93) **AST1UBA11540** LED STEALTH™/80W/40K/TYPE V/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA11540>

View TDS: http://www.pqlighting.com/documents/AST1UBA11540_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-80W-5-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
80	1	50,000	60	Qualified	5.1	Premium	5/31/24	S-5JDXZR		

94) **AST1UBA11550** LED STEALTH™/80W/50K/TYPE V/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA11550>

View TDS: http://www.pqlighting.com/documents/AST1UBA11550_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-80W-5-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
11914	149	50,000	60	Qualified	5.1	Premium	5/31/24	S-5JDXZR		

95) **AST1UBA14340** LED STEALTH™/100W/40K/TYPE III/DIMM/100-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBA14340>

View TDS: http://www.pqlighting.com/documents/AST1UBA14340_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1-100W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
14192	142	50,000	60	Qualified	5.1	Premium	5/31/24	S-PHM52		

Item No. Description

96) **AST1UWB21350** LED STEALTH™/150W/50K/TYPE III/DIMM/100-277V/WHITE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UWB21350>

View TDS: http://www.pqlighting.com/documents/AST1UWB21350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-150W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
21005	141	50,000	60	Qualified	5.1	Premium	5/31/24	S-6MVTM5		

97) **AST1UBB21N40** LED STEALTH™/150W/40K/60°/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB21N40>

View TDS: http://www.pqlighting.com/documents/AST1UBB21N40_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-150W-N-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
20822	140	50,000	60	Qualified	5.1	Premium	5/31/24	S-6W0BGP		

98) **AST1UBB21N50** LED STEALTH™/150W/50K/60°/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB21N50>

View TDS: http://www.pqlighting.com/documents/AST1UBB21N50_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-150W-N-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
20822	140	50,000	60	Qualified	5.1	Premium	5/31/24	S-6W0BGP		

99) **AST1UBB21340** LED STEALTH™/150W/40K/TYPE III/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB21340>

View TDS: http://www.pqlighting.com/documents/AST1UBB21340_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-150W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
21005	141	50,000	60	Qualified	5.1	Premium	5/31/24	S-6MVTM5		

100) **AST1UBB21350** LED STEALTH™/150W/50K/TYPE III/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB21350>

View TDS: http://www.pqlighting.com/documents/AST1UBB21350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-150W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
21005	141	50,000	60	Qualified	5.1	Premium	5/31/24	S-6MVTM5		

Item No. Description

101) **AST1UBB21540** LED STEALTH™/150W/40K/TYPE V/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB21540>

View TDS: http://www.pqlighting.com/documents/AST1UBB21540_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-150W-5-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
21793	146	50,000	60	Qualified	5.1	Premium	5/31/24	S-HXXSRN		

102) **AST1UBB26340** LED STEALTH™/185W/40K/TYPE III/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB26340>

View TDS: http://www.pqlighting.com/documents/AST1UBB26340_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-185W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
25484	139	50,000	60	Qualified	5.1	Premium	5/31/24	S-9XRRD4		

103) **AST1UBB26540** LED STEALTH™/185W/40K/TYPE V/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBB26540>

View TDS: http://www.pqlighting.com/documents/AST1UBB26540_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-1B-185W-5-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
26402	143	50,000	60	Qualified	5.1	Premium	5/31/24	S-V2VP8M		

104) **AST1UBC34350** LED STEALTH™/240W/50K/TYPE III/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBC34350>

View TDS: http://www.pqlighting.com/documents/AST1UBC34350_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-2-240W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
34247	143	50,000	60	Qualified	5.1	Premium	5/31/24	S-9YLWP6		

105) **AST1UBC43340** LED STEALTH™/300W/40K/TYPE III/DIMM/120-277V/DARK BRONZE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=AST1UBC43340>

View TDS: http://www.pqlighting.com/documents/AST1UBC43340_TDS.pdf

DLC Qualification No. **AST1-U-[B;W;C]-2-300W-3-K**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
41961	140	50,000	60	Qualified	5.1	Premium	5/31/24	S-K0XCDX		

Item No. Description

106) **55576** DHL 4FT 220/260/300W 35/40/50K/DIMM/ISO- LED LOW PROFILE FLAT PANEL HIGH-BAY/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55576>

View TDS: http://www.pqlighting.com/documents/55576_TDS.pdf

DLC Qualification No. **5576-[Blank,30WEM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
45360	151	40,000		Qualified	5.1	Premium	4/30/24	S-PD0YRS	Flat 4ft High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

107) **91838** LED 4FT 24WT5/50K/TYPE A & B/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91838>

View TDS: http://www.pqlighting.com/documents/91838_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3300	120	50,000	60	Qualified	5.1	Standard	4/8/24	S-J861GC	T5 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

108) **55579-30WEM** DHL 4FT 220/260/300W 35/40/50K/DIMM/ISO- LED LOW PROFILE FLAT PANEL HIGH-BAY/30W EM BATTERY/277-480V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55579-30WEM>

View TDS: http://www.pqlighting.com/documents/55579-30WEM_TDS.pdf

DLC Qualification No. **55579-[Blank,30WEM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
45360	151	40,000		Qualified	5.1	Premium	2/28/24	S-QMR1CB	Flat 4ft High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

109) **55579** DHL 4FT 220/260/300W 35/40/50K/DIMM/ISO- LED LOW PROFILE FLAT PANEL HIGH-BAY/277-480V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55579>

View TDS: http://www.pqlighting.com/documents/55579_TDS.pdf

DLC Qualification No. **55579-[Blank,30WEM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
45360	151	40,000		Qualified	5.1	Premium	2/28/24	S-QMR1CB	Flat 4ft High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

110) **90403** LED 4FT 15WT8/40K/TYPE A & B - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90403>

View TDS: http://www.pqlighting.com/documents/90403_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	126	50,000	60	Qualified	5.1	Standard	1/26/24	S-ZSJBQT	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

Item No. Description

111) **91508** LED 4FT 12WT8/50K/TYPE A & B/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91508>

View TDS: http://www.pqlighting.com/documents/91508_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	1/26/24	S-TCZMKX	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

112) **55117** LED 2X2 SPEC-SELECT™ CENTER BASKET TROFFER/25-30-35W/35-50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55117>

View TDS: http://www.pqlighting.com/documents/55117_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4375	125	50,000	60	Qualified	5.1	Premium	1/10/24	S-32DXPJ	Troffer - Center Basket	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

113) **55117-8WEM** LED 2X2 SPEC-SELECT™ CENTER BASKET TROFFER/25-30-35W/35-50K/DIMM/120-277V/8W EMB - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55117-8WEM>

View TDS: http://www.pqlighting.com/documents/55117-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4375	125	50,000	60	Qualified	5.1	Premium	1/10/24	S-32DXPJ	Troffer - Center Basket	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

114) **55800** LED 2FT POWER-SELECT™ LINEAR HL HIGH BAY/140-160-175W/40K/110°/FROST/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55800>

View TDS: http://www.pqlighting.com/documents/55800_TDS.pdf

DLC Qualification No. **55800-[Blank,EM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
24150	138	50,000	60	Qualified	5.1	Premium	11/28/23	S-5KO2XP	2FT Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

115) **55801** LED 2FT POWER-SELECT™ LINEAR HL HIGH BAY/140-160-175W/50K/110°/FROST/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55801>

View TDS: http://www.pqlighting.com/documents/55801_TDS.pdf

DLC Qualification No. **55801-[Blank,EM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
24500	140	50,000	60	Qualified	5.1	Premium	11/28/23	S-VQRA28	2FT Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

Item No. Description

116) **55118** LED 2X4 SPEC-SELECT™ CENTER BASKET TROFFER/25-30-35W/35-50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55118>

View TDS: http://www.pqlighting.com/documents/55118_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4480	128	50,000	60	Qualified	5.1	Premium	11/22/23	S-CGXO80	Troffer - Center Basket	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

117) **55119** LED 2X4 SPEC-SELECT™ CENTER BASKET TROFFER/34-42-50W/35-50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55119>

View TDS: http://www.pqlighting.com/documents/55119_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
6250	125	50,000	60	Qualified	5.1	Premium	11/22/23	S-G7H31K	Troffer - Center Basket	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

118) **55119-8WEM** LED 2X4 SPEC-SELECT™ CENTER BASKET TROFFER/34-42-50W/35-50K/DIMM/120-277V/8W EMB - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55119-8WEM>

View TDS: http://www.pqlighting.com/documents/55119-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
6250	125	50,000	60	Qualified	5.1	Premium	11/22/23	S-G7H31K	Troffer - Center Basket	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

119) **55682** LED 2FT SPEC-SELECT™ VAPOR TIGHT/15-20-25W/35-50K/DIMM/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55682>

View TDS: http://www.pqlighting.com/documents/55682_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3325	133	50,000	60	Qualified	5.1	Standard	11/22/23	S-4WVOGU	Integrated LED	Direct Linear Ambient Luminaires

120) **55684** LED 4FT SPEC-SELECT™ VAPOR TIGHT/18-25-30W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55684>

View TDS: http://www.pqlighting.com/documents/55684_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3990	133	50,000	60	Qualified	5.1	Standard	11/22/23	S-PNOH41	Integrated LED	Direct Linear Ambient Luminaires

Item No. Description

121) **55685** LED 4FT SPEC-SELECT™ VAPOR TIGHT/38-46-54W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55685>

View TDS: http://www.pqlighting.com/documents/55685_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Integrated LED	Direct Linear Ambient Luminaires
7182	133	50,000	60	Qualified	5.1	Standard	11/22/23	S-39RLBT		

122) **55687** LED 8FT SPEC-SELECT™ VAPOR TIGHT/65-75-90W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55687>

View TDS: http://www.pqlighting.com/documents/55687_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Integrated LED	Direct Linear Ambient Luminaires
11970	133	50,000	60	Qualified	5.1	Standard	11/22/23	S-PEQ82D		

123) **55685-8WEM** LED 4FT SPEC-SELECT™ VAPOR TIGHT/38-46-54W/35-50K/DIMM/ISO/120-277V/8W EMB - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55685-8WEM>

View TDS: http://www.pqlighting.com/documents/55685-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Integrated LED	Direct Linear Ambient Luminaires
7182	133	50,000	60	Qualified	5.1	Standard	11/22/23	S-39RLBT		

124) **93780** LED SPEC-SELECT™ SNAP & GO™ MAGNETIC MODULES/15-20-25W/35-40-50K/DIMM/120-277V • 2X2FT - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=93780>

View TDS: http://www.pqlighting.com/documents/93780_TDS.pdf

DLC Qualification No. **93780[(F);BLANK]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2FT Module	Retrofit Kits for Direct Linear Ambient Luminaires
3750	150	50,000	60	Qualified	5.1	Premium	10/30/23	S-K7XWBP		

125) **93781** LED SPEC-SELECT™ SNAP & GO™ MAGNETIC MODULES/20-28-35W/35-40-50K/DIMM/120-277V • 2X4FT - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=93781>

View TDS: http://www.pqlighting.com/documents/93781_TDS.pdf

DLC Qualification No. **93781[(F);BLANK]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4FT Module	Retrofit Kits for Direct Linear Ambient Luminaires
5250	150	50,000	60	Qualified	5.1	Premium	10/30/23	S-TK4XC6		

Item No. Description

126) **93782** LED SPEC-SELECT™ SNAP & GO™ MAGNETIC MODULES 20-30-40W/35-40-50K/DIMM/120-277V • 2X4FT - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=93782>

View TDS: http://www.pqlighting.com/documents/93782_TDS.pdf

DLC Qualification No. **93782[(F);BLANK]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4FT Module	Retrofit Kits for Direct Linear Ambient Luminaires
6000	150	50,000	60	Qualified	5.1	Premium	10/30/23	S-M5O6ND		

127) **93783** LED SPEC-SELECT™ SNAP & GO™ MAGNETIC MODULES/20-30-40W/35-40-50K/DIMM/120-277V • 3X4FT - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=93783>

View TDS: http://www.pqlighting.com/documents/93783_TDS.pdf

DLC Qualification No. **93783[(F);BLANK]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4FT Module	Retrofit Kits for Direct Linear Ambient Luminaires
6000	150	50,000	60	Qualified	5.1	Premium	10/30/23	S-608YBC		

128) **93784** LED SPEC-SELECT™ SNAP & GO™ MAGNETIC MODULES/30-38-46W/35-40-50K/DIMM/120-277V • 2X8FT - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=93784>

View TDS: http://www.pqlighting.com/documents/93784_TDS.pdf

DLC Qualification No. **93784[(F);BLANK]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	8FT Module	Retrofit Kits for Direct Linear Ambient Luminaires
6900	150	50,000	60	Qualified	5.1	Premium	10/30/23	S-1SQL0X		

129) **55735** LED 4FT SPEC-SELECT™ VAPOR TIGHT HIGH BAY/100-115-135W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55735>

View TDS: http://www.pqlighting.com/documents/55735_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Integrated LED	High-Bay Luminaires for Commercial and Industrial Buildings
22005	163	50,000	60	Qualified	5.1	Premium	10/26/23	S-HL3RVN		

130) **55736** LED 4FT SPEC-SELECT™ VAPOR TIGHT HIGH BAY/155-185-200W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55736>

View TDS: http://www.pqlighting.com/documents/55736_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Integrated LED	High-Bay Luminaires for Commercial and Industrial Buildings
32000	160	50,000	60	Qualified	5.1	Standard	10/26/23	S-WL6Y8B		

Item No. Description

131) **55780** GO-LED™ SEAMLESS 2X2 SPEC-SELECT™ CENTER BASKET TROFFER/19-24-32-39W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55780>

View TDS: http://www.pqlighting.com/documents/55780_TDS.pdf

DLC Qualification No. 55780-[Blank,8WEM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
4895	126	50,000	60	Qualified	5.1	Standard	10/18/23	S-3LSWBZ		2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

132) **55780-8WEM** GO-LED™ SEAMLESS 2X2 SPEC-SELECT™ CENTER BASKET TROFFER/19-24-32-39W/35-50K/DIMM/ISO/120-277V/8W EMB -

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55780-8WEM>

View TDS: http://www.pqlighting.com/documents/55780-8WEM_TDS.pdf

DLC Qualification No. 55780-[Blank,8WEM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
4895	126	50,000	60	Qualified	5.1	Standard	10/18/23	S-3LSWBZ		2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

133) **55784** GO-LED™ SEAMLESS 2X4 SPEC-SELECT™ CENTER BASKET TROFFER/29-34-39-49W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55784>

View TDS: http://www.pqlighting.com/documents/55784_TDS.pdf

DLC Qualification No. 55784-[Blank,8WEM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
6189	126	50,000	60	Qualified	5.1	Premium	10/18/23	S-BU5ILJ		2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

134) **55784-8WEM** GO-LED™ SEAMLESS 2X4 SPEC-SELECT™ CENTER BASKET TROFFER/29-34-39-49W/35-50K/DIMM/ISO/120-277V/8W EMB -

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55784-8WEM>

View TDS: http://www.pqlighting.com/documents/55784-8WEM_TDS.pdf

DLC Qualification No. 55784-[Blank,8WEM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	
6189	126	50,000	60	Qualified	5.1	Premium	10/18/23	S-BU5ILJ		2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

135) **91489** LED 4FT 18WT8/40K/TYPE B/SE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91489>

View TDS: http://www.pqlighting.com/documents/91489_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps
2200	122	50,000	60	Qualified	5.1	Standard	10/18/23	S-MXGN65		

Item No. Description

136) **55759** LED 4FT SPEC-SELECT™ ARCHITECTURAL DESIGNER STRIP/34-38-45W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55759>

View TDS: http://www.pqlighting.com/documents/55759_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Square	Direct Linear Ambient Luminaires
5850	130	50,000	60	Qualified	5.1	Standard	8/29/23	S-QYKTE2		

137) **55760** LED 8FT SPEC-SELECT™ ARCHITECTURAL DESIGNER STRIP/65-75-90W/35-50K/DIMM/ISO/120-277V - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55760>

View TDS: http://www.pqlighting.com/documents/55760_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Square	Direct Linear Ambient Luminaires
11970	266	50,000	60	Qualified	5.1	Standard	8/29/23	S-2XEBHP		

138) **DCH-LED8683540** DCH-LED8683540URET 8FT 68W 35K 40K 50K LED CHANNEL RETROFIT KIT 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DCH-LED8683540>

View TDS: http://www.pqlighting.com/documents/DCH-LED8683540_TDS.pdf

DLC Qualification No. DP-DSR-8-68-3CCT-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip	Retrofit Kits for Direct Linear Ambient Luminaires
9663	142	50,000	60	Qualified	5.1	Standard	8/3/23	S-WABQUD		

139) **55761** LED 2FT SPEC-SELECT™ DESIGNER STRIP/15-20-25W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55761>

View TDS: http://www.pqlighting.com/documents/55761_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Round	Direct Linear Ambient Luminaires
3300	132	50,000	60	Qualified	5.1	Standard	8/1/23	S-3H0Z65		

140) **55762** LED 4FT SPEC-SELECT™ DESIGNER STRIP/18-25-30W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55762>

View TDS: http://www.pqlighting.com/documents/55762_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Round	Direct Linear Ambient Luminaires
3960	132	50,000	60	Qualified	5.1	Standard	8/1/23	S-Y713J0		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

Item No. Description

141) **55763** LED 4FT SPEC-SELECT™ DESIGNER STRIP/34-38-45W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55763>

View TDS: http://www.pqlighting.com/documents/55763_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Round	Direct Linear Ambient Luminaires
5850	130	50,000	60	Qualified	5.1	Standard	8/1/23	S-QETNUD		

142) **55763-8WEM** LED 4FT SPEC-SELECT™ DESIGNER STRIP/34-38-45W/35-50K/DIMM/120-277V/ISO/8W EMB - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55763-8WEM>

View TDS: http://www.pqlighting.com/documents/55763-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Round	Direct Linear Ambient Luminaires
5850	130	50,000	60	Qualified	5.1	Standard	8/1/23	S-QETNUD		

143) **55764** LED 8FT SPEC-SELECT™ DESIGNER STRIP/38-46-54W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55764>

View TDS: http://www.pqlighting.com/documents/55764_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Round	Direct Linear Ambient Luminaires
7128	132	50,000	60	Qualified	5.1	Standard	8/1/23	S-UMGNOQ		

144) **55764-8WEM** LED 8FT SPEC-SELECT™ DESIGNER STRIP/38-46-54W/35-50K/DIMM/120-277V/ISO/8W EMB - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55764-8WEM>

View TDS: http://www.pqlighting.com/documents/55764-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Round	Direct Linear Ambient Luminaires
7128	132	50,000	60	Qualified	5.1	Standard	8/1/23	S-UMGNOQ		

145) **55765** LED 8FT SPEC-SELECT™ DESIGNER STRIP/65-75-90W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55765>

View TDS: http://www.pqlighting.com/documents/55765_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip - Round	-Direct Linear Ambient Luminaires -High-Bay Luminaires for Commercial and Industrial Buildings
11970	133	50,000	60	Qualified	5.1	Standard	8/1/23	S-WTEALQ		

Item No. Description

146) **91842** LED TONE-SELECT™ 45.8IN 25WT5/T6/35-40-50K/120-277V/TYP B/DE/SAFETY COATED - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91842>

View TDS: http://www.pqlighting.com/documents/91842_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T5 Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
3400	136	50,000	60	Qualified	5.1	Standard	7/17/23	S-BAM0VY		

147) **84360** LED SPEC-SELECT™ FLOOD/15-25-35W/30-40-50K/DIMM/120-277V/BRZ/PC • 1/2IN KNUCKLE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84360>

View TDS: http://www.pqlighting.com/documents/84360_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flood Light	Architectural Flood and Spot Luminaires
5000	143	50,000	60	Qualified	5.1	Premium	6/19/23	S-AD61WV		

148) **84361** LED SPEC-SELECT™ FLOOD/35-50-60W/30-40-50K/DIMM/120-277V/BRZ/PC • 1/2IN KNUCKLE - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84361>

View TDS: http://www.pqlighting.com/documents/84361_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flood Light	Architectural Flood and Spot Luminaires
8700	145	50,000	60	Qualified	5.1	Premium	6/19/23	S-GOZDQT		

149) **84363** LED SPEC-SELECT™ FLOOD/100-150-200W/30-40-50K/DIMM/120-277V/BRZ/PC - DLC®

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84363>

View TDS: http://www.pqlighting.com/documents/84363_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flood Light	Architectural Flood and Spot Luminaires
30000	150	50,000	60	Qualified	5.1	Premium	6/19/23	S-7K93C4		

150) **55750** LED 1X4 SPEC-SELECT™ PANEL/BLP/20-25-30W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55750>

View TDS: http://www.pqlighting.com/documents/55750_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	1X4	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
3750	125	50,000	60	Qualified	5.1	Premium	6/7/23	S-WFSNRA		

Item No. Description

151) **55750-8WEM** LED 1X4 SPEC-SELECT™ PANEL/BLP/20-25-30W/35-50K/DIMM/ISO/120-277V/8W EMB - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55750-8WEM>

View TDS: http://www.pqlighting.com/documents/55750-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	1X4	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
3750	125	50,000	60	Qualified	5.1	Premium	6/7/23	S-WFSNRA		

152) **55751** LED 2X2 SPEC-SELECT™ PANEL/BLP/20-25-30W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55751>

View TDS: http://www.pqlighting.com/documents/55751_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X2	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
3750	125	50,000	60	Qualified	5.1	Premium	6/7/23	S-6DST74		

153) **55751-8WEM** LED 2X2 SPEC-SELECT™ PANEL/BLP/20-25-30W/35-50K/DIMM/ISO/120-277V/8W EMB - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55751-8WEM>

View TDS: http://www.pqlighting.com/documents/55751-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X2	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
3750	125	50,000	60	Qualified	5.1	Premium	6/7/23	S-6DST74		

154) **55752** LED 2X4 SPEC-SELECT™ PANEL/BLP/30-35-40W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55752>

View TDS: http://www.pqlighting.com/documents/55752_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X4	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5040	126	50,000	60	Qualified	5.1	Premium	6/7/23	S-8MFB JW		

155) **55753** LED 2X4 SPEC-SELECT™ PANEL/BLP/30-40-50W/35-50K/DIMM/ISO/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55753>

View TDS: http://www.pqlighting.com/documents/55753_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X4	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
6300	126	50,000	60	Qualified	5.1	Premium	6/7/23	S-8GI56V		

Item No. Description

156) **55753-8WEM** LED 2X4 SPEC-SELECT™ PANEL/BLP/30-40-50W/35-50K/DIMM/ISO/120-277V/8W EMB - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55753-8WEM>

View TDS: http://www.pqlighting.com/documents/55753-8WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X4	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
6300	126	50,000	60	Qualified	5.1	Premium	6/7/23	S-8GI56V		

157) **55754** LED 1X4 SPEC-SELECT™ PANEL/BLP/25-30-40W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55754>

View TDS: http://www.pqlighting.com/documents/55754_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	1X4	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
4400	110	50,000	60	Qualified	5.1	Standard	6/7/23	S-7UV6IB		

158) **55755** LED 2X2 SPEC-SELECT™ PANEL/BLP/25-30-40W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55755>

View TDS: http://www.pqlighting.com/documents/55755_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X2	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
4440	111	50,000	60	Qualified	5.1	Standard	6/7/23	S-OQ3S6P		

159) **55756** LED 2X4 SPEC-SELECT™ PANEL/BLP/30-40-50W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55756>

View TDS: http://www.pqlighting.com/documents/55756_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2X4	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5550	111	50,000	60	Qualified	5.1	Standard	6/7/23	S-XWCBUF		

160) **55714** LED 2FT POWER-SELECT™ LINEAR HL HIGH BAY/135-155-185W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55714>

View TDS: http://www.pqlighting.com/documents/55714_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay - Power-Select™	High-Bay Luminaires for Commercial and Industrial Buildings
27750	150	50,000	60	Qualified	5.1	Premium	5/16/23	S-QE0JYN		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

Item No. Description

161) **90312** LED COMPASS HIGH BAY/100W/50K/DIMM/100-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90312>

View TDS: http://www.pqlighting.com/documents/90312_TDS.pdf

DLC Qualification No. CHB3-100-D-MV-50K-170S

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
16783	168	50,000	60	Qualified	5.1	Premium	5/11/23	S-0E2Y1A		

162) **90395** LED COMPASS HIGH BAY/400W/50K/DIMM/100-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90395>

View TDS: http://www.pqlighting.com/documents/90395_TDS.pdf

DLC Qualification No. CHB3-400-D-MV-50K-170S

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
66708	167	50,000	60	Qualified	5.1	Premium	5/11/23	S-5RX0JO		

163) **CHB3600DMV50K** LED COMPASS HIGH BAY/600W/50K/DIMM/100-277V/BLK - DLC 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=CHB3600DMV50K>

View TDS: http://www.pqlighting.com/documents/CHB3600DMV50K_TDS.pdf

DLC Qualification No. CHB3-600-D-MV-50K-170S

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
98935	164			Qualified	5.1	Premium	5/11/23	S-OVC6B9		

164) **55099** LED 1X4 SPEC-SELECT™ CENTER BASKET TROFFER/18-25-35W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55099>

View TDS: http://www.pqlighting.com/documents/55099_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer - Center Basket	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
4375	125	50,000	60	Qualified	5.1	Premium	5/9/23	S-03U47L		

165) **84460** LED SPEC-SELECT™ BOLLARD ROUND/FLAT TOP/CONE/14-19-24W/30-40-50K/DIMM/120-277V/BRZ/PC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84460>

View TDS: http://www.pqlighting.com/documents/84460_TDS.pdf

DLC Qualification No. BLRD-R-14/19/24W-3CCT-PC

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Bollard	Outdoor Luminaires
3360	140	50,000	60	Qualified	5.1	Premium	4/5/23	S-CKP3AO		

Item No. Description

166) **84461** LED SPEC-SELECT™ BOLLARD ROUND/DOME TOP/CONE/14-19-24W/30-40-50K/DIMM/120-277V/BRZ/PC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84461>

View TDS: http://www.pqlighting.com/documents/84461_TDS.pdf

DLC Qualification No. BLRD-D-14/19/24W-3CCT-PC

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Bollard	Outdoor Luminaires
3360	140	50,000	60	Qualified	5.1	Premium	4/5/23	S-N6RA20		

167) **91592** LED HIGH BAY RETROFIT/115W/50K/ISO/100-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91592>

View TDS: http://www.pqlighting.com/documents/91592_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	360° Lamp	Replacement Lamps for High-Bay Luminaires (Type B)
16481	152	50,000	60	Qualified	5.1	Standard	3/13/23	S-0F4WP8		

168) **GO-LED14-2440** GO-LED14-19(24)3239-35(40)50-UF GO 1X4 RECESSED FIXTURE CCT AND WATTAGE SELECTABLE 24W AND 4000K

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED14-2440>

View TDS: http://www.pqlighting.com/documents/GO-LED14-2440_TDS.pdf

DLC Qualification No. GO-LED14-24-3CCT-U-F-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
3696	154	50,000	60	Qualified	5.1	Standard	2/21/23	S-DK0B9F		

169) **GO-LED22-2440** GO-LED22-19(24)3239-35(40)50-UF GO 2X2 RECESSED FIXTURE CCT AND WATTAGE SELECTABLE 24W AND 4000K

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED22-2440>

View TDS: http://www.pqlighting.com/documents/GO-LED22-2440_TDS.pdf

DLC Qualification No. GO-LED22-24-3CCT-U-F-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
3696	154	50,000	60	Qualified	5.1	Standard	2/21/23	S-HT7WOG		

170) **GO-LED24-3240** GO-LED24-1924(32)39-35(40)50-UF GO 2X4 RECESSED FIXTURE CCT AND WATTAGE SELECTABLE 32W AND 4000K

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED24-3240>

View TDS: http://www.pqlighting.com/documents/GO-LED24-3240_TDS.pdf

DLC Qualification No. GO-LED24-32-3CCT-U-F-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
4864	152	50,000	60	Qualified	5.1	Premium	2/21/23	S-T24IXA		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

As of: 6/4/2026

Page No: 34

Item No. Description

171) **91474** LED 4FT 12WT8/35K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91474>

View TDS: http://www.pqlighting.com/documents/91474_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	2/16/23	S-NBFKAL	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

172) **91475** LED 4FT 12WT8/40K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91475>

View TDS: http://www.pqlighting.com/documents/91475_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	2/16/23	S-MNISRF	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

173) **91476** LED 4FT 12WT8/50K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91476>

View TDS: http://www.pqlighting.com/documents/91476_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	2/16/23	S-ZU4Q7X	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

174) **91496** LED 4FT 15WT8/35K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91496>

View TDS: http://www.pqlighting.com/documents/91496_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	129	50,000	60	Qualified	5.1	Standard	2/16/23	S-V3IHLX	T8 Hybrid - 4FT	Dual Mode Internal Driver (UL Type A and Type B)

175) **55715** LED 2FT SPEC-SELECT™ LINEAR HL HIGH BAY/135-155-185W/40-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55715>

View TDS: http://www.pqlighting.com/documents/55715_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
27750	150	50,000	60	Qualified	5.1	Premium	1/12/23	S-ANDL52	2ft Linear High Bay - Spec-Select™	High-Bay Luminaires for Commercial and Industrial Buildings

Item No. Description

176) **55716** LED 4FT POWER-SELECT™ LINEAR HL HIGH BAY/185-230-270W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55716>

View TDS: http://www.pqlighting.com/documents/55716_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
40500	150	50,000	60	Qualified	5.1	Premium	1/12/23	S-EDVH50	4ft Linear High Bay - Power-Select™	High-Bay Luminaires for Commercial and Industrial Buildings

177) **55722** LED 4FT TONE-SELECT™ LINEAR HL HIGH BAY/400W/40-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55722>

View TDS: http://www.pqlighting.com/documents/55722_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
60000	150	50,000	60	Qualified	5.1	Premium	1/12/23	S-UWN1FG	4ft Linear High Bay - Tone-Select™	High-Bay Luminaires for Commercial and Industrial Buildings

178) **55365** LED 4FT LINEAR HIGH BAY/223W/50K/DIMM/480V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55365>

View TDS: http://www.pqlighting.com/documents/55365_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
30328	136	50,000	60	Qualified	5.1	Standard	12/20/22	PLW3F1VN0OFY	4ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

179) **84331** LED COMPASS HIGH BAY/100W/50K/DIMM/480V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84331>

View TDS: http://www.pqlighting.com/documents/84331_TDS.pdf

DLC Qualification No. CHB3-100-D-HV-50K-170S

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
16962	168	50,000	60	Qualified	5.1	Premium	12/13/22	S-M3RPA9	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

180) **84333** LED COMPASS HIGH BAY/200W/50K/DIMM/480V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84333>

View TDS: http://www.pqlighting.com/documents/84333_TDS.pdf

DLC Qualification No. CHB3-200-D-HV-50K-170S

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
33131	166	50,000	60	Qualified	5.1	Premium	12/13/22	S-FIZYPR	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

Item No. Description

181) **84339** LED COMPASS HIGH BAY/600W/50K/DIMM/480V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84339>

View TDS: http://www.pqlighting.com/documents/84339_TDS.pdf

DLC Qualification No. CHB3-600-D-HV-50K-170S

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Compass High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
98480	165	50,000	60	Qualified	5.1	Premium	12/13/22	S-J5LU2B		

182) **55594** LED 4FT SPEC-SELECT™ DESIGNER STRIP RETROFIT/22-30-40W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55594>

View TDS: http://www.pqlighting.com/documents/55594_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Strip SPEC-SELECT	Retrofit Kits for Direct Linear Ambient Luminaires
5200	130	50,000	60	Qualified	5.1	Standard	11/29/22	PL9QL9JL25QA		

183) **55597** LED 8FT SPEC-SELECT™ DESIGNER STRIP RETROFIT/45-60-75W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55597>

View TDS: http://www.pqlighting.com/documents/55597_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Strip SPEC-SELECT	Retrofit Kits for Direct Linear Ambient Luminaires
9750	130	50,000	60	Qualified	5.1	Standard	11/29/22	PLQCOC8T7RGH		

184) **55710** LED 2FT POWER-SELECT™ LINEAR HL HIGH BAY/58-78-92W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55710>

View TDS: http://www.pqlighting.com/documents/55710_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay - Power-Select™	High-Bay Luminaires for Commercial and Industrial Buildings
13800	150	50,000	60	Qualified	5.1	Premium	11/22/22	S-CIJBLF		

185) **55711** LED 2FT POWER-SELECT™ LINEAR HL HIGH BAY/58-78-92W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55711>

View TDS: http://www.pqlighting.com/documents/55711_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay - Power-Select™	High-Bay Luminaires for Commercial and Industrial Buildings
13892	151	50,000	60	Qualified	5.1	Premium	11/22/22	S-LTME08		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

As of: 6/4/2026

Page No: 37

Item No. Description

186) **55713** LED 2FT POWER-SELECT™ LINEAR HL HIGH BAY/92-115-135W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55713>

View TDS: http://www.pqlighting.com/documents/55713_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
20385	151	50,000	60	Qualified	5.1	Premium	11/22/22	S-X2VWBQ	2ft Linear High Bay - Power-Select™	High-Bay Luminaires for Commercial and Industrial Buildings

187) **55481** LED 2FT LINEAR HIGH BAY/90W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55481>

View TDS: http://www.pqlighting.com/documents/55481_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
11790	131	50,000	60	Qualified	5.1	Standard	11/8/22	PLRXO5JMC30Y	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

188) **55477** LED 2FT LINEAR HIGH BAY/135W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55477>

View TDS: http://www.pqlighting.com/documents/55477_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
17550	130	50,000	60	Qualified	5.1	Standard	11/8/22	PL45GCPT3QBK	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

189) **55511** LED 2FT LINEAR HIGH BAY/110W/40K/DIMM/480V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55511>

View TDS: http://www.pqlighting.com/documents/55511_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
14300	130	50,000	60	Qualified	5.1	Standard	11/8/22	PL5K3LUJZ76V	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

190) **55467** LED 8FT DESIGNER STRIP/38W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55467>

View TDS: http://www.pqlighting.com/documents/55467_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5282	139	50,000	60	Qualified	5.1	Standard	9/20/22	S-Q6D7C1	LED Designer Strip	Direct Linear Ambient Luminaires

Item No. Description

191) **55666** LED 2X4 PANEL/BLP/50W/35K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55666>

View TDS: http://www.pqlighting.com/documents/55666_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x4 - Standard	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5750	115	50,000	60	Qualified	5.1	Standard	9/20/22	S-4WG703		

192) **55667** LED 2X4 PANEL/BLP/50W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55667>

View TDS: http://www.pqlighting.com/documents/55667_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x4 - Standard	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5800	116	50,000	60	Qualified	5.1	Standard	9/20/22	S-RSL2ZV		

193) **55668** LED 2X4 PANEL/BLP/50W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55668>

View TDS: http://www.pqlighting.com/documents/55668_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x4 - Standard	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5850	117	50,000	60	Qualified	5.1	Standard	9/20/22	S-TRQN36		

194) **55514** LED 2FT LINEAR HIGH BAY/162W/40K/DIMM/480V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55514>

View TDS: http://www.pqlighting.com/documents/55514_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
21060	130	50,000	60	Qualified	5.1	Standard	9/15/22	S-40JFTA		

195) **55517** LED 2FT LINEAR HIGH BAY/223W/40K/DIMM/480V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55517>

View TDS: http://www.pqlighting.com/documents/55517_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
28990	130	50,000	60	Qualified	5.1	Standard	9/15/22	S-BOFUX7		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

Item No. Description

196) **55520** LED 4FT LINEAR HIGH BAY/321W/40K/DIMM/480V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55520>
View TDS: http://www.pqlighting.com/documents/55520_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
41730	130	50,000	60	Qualified	5.1	Standard	9/15/22	S-MD35ON	4ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

197) **GO-LED22243540** GO-LED2224354050UF 2ft x 2ft 24W 35K/40K/50K LED Recessed GO Fixture 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED22243540>
View TDS: http://www.pqlighting.com/documents/GO-LED22243540_TDS.pdf

DLC Qualification No. DP-CBT-22-24-3CCT-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3307	138	50,000	60	Qualified	5.1	Standard	8/23/22	S-ZAMO9D	LED Center Basket Troffer	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

198) **GO-LED22393540** GO-LED2239354050UF 2ft x 2ft 39W 35K/40K/50K LED Recessed GO Fixture 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED22393540>
View TDS: http://www.pqlighting.com/documents/GO-LED22393540_TDS.pdf

DLC Qualification No. DP-CBT-22-39-3CCT-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5273	135	50,000	60	Qualified	5.1	Standard	8/23/22	S-I8RYO9	LED Center Basket Troffer	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces

199) **GO-LED24323540** GO-LED2432354050UF 2 x 4 32W 35K 40K 50K LED Recessed GO Fixture 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED24323540>
View TDS: http://www.pqlighting.com/documents/GO-LED24323540_TDS.pdf

DLC Qualification No. DP-CBT-24-32-3CCT-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4496	141	50,000	60	Qualified	5.1	Standard	8/23/22	S-03SF76	LED Center Basket Troffer	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

200) **GO-LED24393540** GO-LED2439354050UF 2ft x 4ft 39W 35K/40K/50K LED Recessed GO Fixture 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED24393540>
View TDS: http://www.pqlighting.com/documents/GO-LED24393540_TDS.pdf

DLC Qualification No. DP-CBT-24-39-3CCT-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5343	137	50,000	60	Qualified	5.1	Standard	8/23/22	S-QL9KNM	LED Center Basket Troffer	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

Item No. Description

201) **GO-LED2224ULC** GO-LED2224354050ULC 2ft x 2ft 24W 35K/40K/50K LED Recessed GO Retro Fit Kit Latch & Close 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED2224ULC>

View TDS: http://www.pqlighting.com/documents/GO-LED2224ULC_TDS.pdf

DLC Qualification No. DP-CBT-22-24-3CCT-LC-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	Integrated Retrofit Kits for 2x2 Luminaires
3218	134	50,000	60	Qualified	5.1	Standard	8/15/22	S-L7MUBZ		

202) **GO-LED2432ULC** GO-LED2432354050ULC 2 x 4 32W 35K 40K 50K LED Recessed GO Retro Fit Kit Latch & Close 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=GO-LED2432ULC>

View TDS: http://www.pqlighting.com/documents/GO-LED2432ULC_TDS.pdf

DLC Qualification No. DP-CBT-24-32-3CCT-LC-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Troffer	Integrated Retrofit Kits for 2x4 Luminaires
4582	143	50,000	60	Qualified	5.1	Standard	8/15/22	S-6MW43L		

203) **DACH-LED222354** DACH-LED222354050UR 2ft - 22W 35K 40K 50K Architectural LED Channel Round Lens 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DACH-LED222354>

View TDS: http://www.pqlighting.com/documents/DACH-LED222354_TDS.pdf

DLC Qualification No. DP-DS-2-22-3CCT-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip	Direct Linear Ambient Luminaires
2889	131	50,000	60	Qualified	5.1	Standard	8/11/22	S-02LTV5		

204) **DACH-LED868354** DACH-LED868354050UR 8FT - 68W 35K 40K 50K ARCHITECTURAL LED CHANNEL ROUND LENS 120-277VAC - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DACH-LED868354>

View TDS: http://www.pqlighting.com/documents/DACH-LED868354_TDS.pdf

DLC Qualification No. DP-DS-8-68-3CCT-[Blank,EM]-[Blank,MS,BT]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip	High-Bay Luminaires for Commercial and Industrial Buildings
9663	142	50,000	60	Qualified	5.1	Standard	8/11/22	S-TNBLR2		

205) **84315** LED SPEC-SELECT™ DESIGNER POST TOP/18/30/45/60W/30/40/50K/100-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84315>

View TDS: http://www.pqlighting.com/documents/84315_TDS.pdf

DLC Qualification No. SSDPT-60W-CCT-D-M

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Post Top	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
9128	152	50,000	60	Qualified	5.1	Premium	8/4/22	S-6NHL71		

Item No. Description

206) **DCH-LED4353540** **DCH-LED435354050URET 4ft 35W 35K 40K 50K LED Channel Retrofit Kit 120-277VAC - DLC® 5.1**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DCH-LED4353540>

View TDS: http://www.pqlighting.com/documents/DCH-LED4353540_TDS.pdf

DLC Qualification No. **DP-DSR-4-35-3CCT-[Blank,EM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Designer Strip	Retrofit Kits for Direct Linear Ambient Luminaires
4823	138	50,000	60	Qualified	5.1	Standard	8/3/22	S-9MDQK0		

207) **DHL-LPLED21353** **DHL-LPLED2135354050UF 2FT 135W 35K 40K 50K - LED LOW PROFILE FLAT PANEL HIGH-BAY FROSTED LENS 120-27VAC -**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DHL-LPLED21353>

View TDS: http://www.pqlighting.com/documents/DHL-LPLED21353_TDS.pdf

DLC Qualification No. **DP-LHB-2-135-3CCT-[Blank,EM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flat 2ft High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
17699	131	50,000	60	Qualified	5.1	Standard	8/2/22	S-80NQCB		

208) **DHL-LPLED21783** **DHL-LPLED2178354050UF 2FT 178W 35K 40K 50K - LED LOW PROFILE FLAT PANEL HIGH-BAY FROSTED LENS 120**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DHL-LPLED21783>

View TDS: http://www.pqlighting.com/documents/DHL-LPLED21783_TDS.pdf

DLC Qualification No. **DP-LHB-2-178-3CCT-[Blank,EM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flat 2ft High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
23407	132	50,000	60	Qualified	5.1	Premium	8/2/22	S-W5PKJ1		

209) **DHL-LPLED29035** **DHL-LPLED290354050UF 2FT 90W 35K 40K 50K - LED LOW PROFILE FLAT PANEL HIGH-BAY FROSTED LENS 120-277VAC -**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DHL-LPLED29035>

View TDS: http://www.pqlighting.com/documents/DHL-LPLED29035_TDS.pdf

DLC Qualification No. **DP-LHB-2-90-3CCT-[Blank,EM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flat 2ft High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
11943	133	50,000	60	Qualified	5.1	Premium	8/2/22	S-7BJIFU		

210) **DHL-LPLED42603** **DHL-LPLED4260354050UF 4FT 260W 35K 40K 50K - LED LOW PROFILE FLAT PANEL HIGH-BAY FROSTED LENS 120-277VAC**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DHL-LPLED42603>

View TDS: http://www.pqlighting.com/documents/DHL-LPLED42603_TDS.pdf

DLC Qualification No. **DP-LHB-4-260-3CCT**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flat 4ft High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
34450	133	50,000	60	Qualified	5.1	Premium	8/2/22	S-TYB485		

Item No. Description

211) **DHL-LPLED26535** **DHL-LPLED265354050UF 2FT 65W 35K 40K 50K - LED LOW PROFILE FLAT PANEL HIGH-BAY FROSTED LENS 120-277VAC -**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=DHL-LPLED26535>

View TDS: http://www.pqlighting.com/documents/DHL-LPLED26535_TDS.pdf

DLC Qualification No. **DP-LHB-2-65-3CCT-[Blank,EM]-[Blank,MS,BT]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Flat 2ft High Bay	Low-Bay Luminaires for Commercial and Industrial Buildings
8535	131	50,000	60	Qualified	5.1	Premium	8/2/22	S-UYF6W9		

212) **55617** **LED 4FT SPEC-SELECT™ WRAP A-ROUND/30-35-40W/35-50K/DIMM/120-277V - DLC® 5.1**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55617>

View TDS: http://www.pqlighting.com/documents/55617_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Wrap - Spec-Select™	Direct Linear Ambient Luminaires
5320	133	50,000	60	Qualified	5.1	Standard	7/22/22	PL3L3BPHG1XB		

213) **55091** **LED 2X2 CENTER BASKET/30W/40K/DIMM/120-277V - DLC® 5.1**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55091>

View TDS: http://www.pqlighting.com/documents/55091_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Troffer - Center Basket	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
3780	126	50,000	60	Qualified	5.1	Premium	7/19/22	S-35DL81		

214) **55669** **LED 2X2 PANEL/BLP/28W/35K/DIMM/120-277V - DLC® 5.1**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55669>

View TDS: http://www.pqlighting.com/documents/55669_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x2 - Premium	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces 28 W
3584	128	50,000	60	Qualified	5.1	Premium	7/19/22	S-JSN4DI		

215) **55670** **LED 2X2 PANEL/BLP/28W/40K/DIMM/120-277V - DLC® 5.1**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55670>

View TDS: http://www.pqlighting.com/documents/55670_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x2 - Premium	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
3612	129	50,000	60	Qualified	5.1	Premium	7/19/22	S-54Q6YR		

Item No. Description

216) **55676** LED 2X4 PANEL/BLP/40W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55676>
View TDS: http://www.pqlighting.com/documents/55676_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4760	119	50,000	60	Qualified	5.1	Standard	7/19/22	S-AM8CIG	Panel 2x4 - Premium	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

217) **55097** LED 2X4 CENTER BASKET TROFFER RETROFIT/45W/40K/DIMM/120-277V - DLC® - P5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55097>
View TDS: http://www.pqlighting.com/documents/55097_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5670	126	50,000	60	Qualified	5.1	Premium	7/19/22	S-50PZAY	LED Troffer Retrofit	Integrated Retrofit Kits for 2x4 Luminaires

218) **84134** LED FLOOD LIGHT/30W/40K/120-277V/BRZ • 1/2IN KNUCKLE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84134>
View TDS: http://www.pqlighting.com/documents/84134_TDS.pdf

DLC Qualification No. **84134** [PC,MS,PM or Blank]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3670	122	50,000	60	Qualified	5.1	Premium	7/12/22	S-MUVIT7	LED Flood	Architectural Flood and Spot Luminaires

219) **84138** LED FLOOD LIGHT/70W/40K/120-277V/BRZ • 1/2IN KNUCKLE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84138>
View TDS: http://www.pqlighting.com/documents/84138_TDS.pdf

DLC Qualification No. **84138** [PC,MS,PM or Blank]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
9000	129	50,000	60	Qualified	5.1	Premium	7/12/22	S-MIPKAT	LED Flood	Architectural Flood and Spot Luminaires

220) **84140** LED FLOOD LIGHT/150W/40K/120-277V/BRZ • SLIP FITTER - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84140>
View TDS: http://www.pqlighting.com/documents/84140_TDS.pdf

DLC Qualification No. **84140** [PC,MS,PM or Blank]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
19500	130	50,000	60	Qualified	5.1	Premium	7/12/22	S-EA42XG	LED Flood	Architectural Flood and Spot Luminaires

Item No. Description

221) **83086** LED CANOPY/21W/50K/DIMM/120-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83086>

View TDS: http://www.pqlighting.com/documents/83086_TDS.pdf

DLC Qualification No. **83086** [PC,MS,PM or Blank]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Canopy	Fuel Pump Canopy Luminaires
2890	138	50,000	60	Qualified	5.1	Premium	7/12/22	S-KQZNS7		

222) **83089** LED CANOPY/60W/40K/DIMM/120-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83089>

View TDS: http://www.pqlighting.com/documents/83089_TDS.pdf

DLC Qualification No. **83089** [PC,MS or Blank]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Canopy	Fuel Pump Canopy Luminaires
6720	112	50,000	60	Qualified	5.1	Standard	7/12/22	S-15HEUI		

223) **83092** LED CANOPY/75W/50K/DIMM/120-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83092>

View TDS: http://www.pqlighting.com/documents/83092_TDS.pdf

DLC Qualification No. **83092** [PC,MS or Blank]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Canopy	Fuel Pump Canopy Luminaires
8625	115	50,000	60	Qualified	5.1	Standard	7/12/22	S-9UN1QB		

224) **55504** LED 2FT TONE-SELECT™ LINEAR HIGH BAY/85W/40-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55504>

View TDS: http://www.pqlighting.com/documents/55504_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay - Tone-Select™	High-Bay Luminaires for Commercial and Industrial Buildings
11560	136	50,000	60	Qualified	5.1	Premium	7/12/22	S-8SOPZ5		

225) **55505** LED 2FT TONE-SELECT™ LINEAR HIGH BAY/105W/40-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55505>

View TDS: http://www.pqlighting.com/documents/55505_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay - Tone-Select™	High-Bay Luminaires for Commercial and Industrial Buildings
14175	135	50,000	60	Qualified	5.1	Premium	7/12/22	S-NSTOUL		

Item No. Description

226) **55506** LED 2FT TONE-SELECT™ LINEAR HIGH BAY/130W/40-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55506>

View TDS: http://www.pqlighting.com/documents/55506_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
17680	136	50,000	60	Qualified	5.1	Premium	7/12/22	S-UOIR4L	2ft Linear High Bay - Tone-Select™	High-Bay Luminaires for Commercial and Industrial Buildings

227) **55507** LED 2FT TONE-SELECT™ LINEAR HIGH BAY/155W/40-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55507>

View TDS: http://www.pqlighting.com/documents/55507_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
20925	135	50,000	60	Qualified	5.1	Premium	7/12/22	S-WZ9D1K	2ft Linear High Bay - Tone-Select™	High-Bay Luminaires for Commercial and Industrial Buildings

228) **83092-W** LED CANOPY/75W/50K/DIMM/120-277V/WHT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83092-W>

View TDS: http://www.pqlighting.com/documents/83092-W_TDS.pdf

DLC Qualification No. **83092 [PC,MS or Blank]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
8625	115	50,000	60	Qualified	5.1	Standard	7/12/22	S-9UN1QB	LED Canopy	Fuel Pump Canopy Luminaires

229) **55534** LED 2FT LINEAR HL HIGH BAY/128W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55534>

View TDS: http://www.pqlighting.com/documents/55534_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
20480	160	50,000	60	Qualified	5.1	Premium	7/1/22	S-I3SC4H	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

230) **55535** LED 2FT LINEAR HL HIGH BAY/128W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55535>

View TDS: http://www.pqlighting.com/documents/55535_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
20608	161	50,000	60	Qualified	5.1	Premium	7/1/22	S-CEIPR6	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings

Item No. Description

231) **55536** LED 2FT LINEAR HL HIGH BAY/150W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55536>

View TDS: http://www.pqlighting.com/documents/55536_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
24000	160	50,000	60	Qualified	5.1	Premium	7/1/22	S-QP1Y4W		

232) **55538** LED 2FT LINEAR HL HIGH BAY/175W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55538>

View TDS: http://www.pqlighting.com/documents/55538_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
28000	160	50,000	60	Qualified	5.1	Premium	7/1/22	S-VJZS93		

233) **55539** LED 2FT LINEAR HL HIGH BAY/175W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55539>

View TDS: http://www.pqlighting.com/documents/55539_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	2ft Linear High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
28175	161	50,000	60	Qualified	5.1	Premium	7/1/22	S-EA0BZ7		

234) **92123** LED 72W/50K/180°/DIMM/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=92123>

View TDS: http://www.pqlighting.com/documents/92123_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED High Wattage 180°	Replacement Lamps for Outdoor Pole/Arm-mounted Area and Roadway Luminaires (Type B)
11000	153	50,000	36	Qualified	5.1	Standard	6/30/22	S-KWX1B9		

235) **92127** LED 100W/50K/180°/DIMM/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=92127>

View TDS: http://www.pqlighting.com/documents/92127_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED High Wattage 180°	Replacement Lamps for Outdoor Pole/Arm-mounted Area and Roadway Luminaires (Type B)
14800	148	50,000	36	Qualified	5.1	Standard	6/30/22	S-T9YNQM		

Item No. Description

236) **55613-16WEM** LED 8FT SPEC-SELECT™ DESIGNER STRIP/65-75-90W/35-50K/DIMM/120-277V/16W EMB - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55613-16WEM>

View TDS: http://www.pqlighting.com/documents/55613-16WEM_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
12150	135	50,000	60	Qualified	5.1	Standard	6/23/22	S-AN94I2	LED Designer Strip SPEC-SELECT	High-Bay Luminaires for Commercial and Industrial Buildings

237) **55616** LED 8FT SPEC-SELECT™ ARCHITECTURAL DESIGNER STRIP/65-75-90W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55616>

View TDS: http://www.pqlighting.com/documents/55616_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
12150	135	50,000	60	Qualified	5.1	Standard	6/22/22	S-7D6KZ9	LED Designer Strip SPEC-SELECT	High-Bay Luminaires for Commercial and Industrial Buildings

238) **84178** LED SPEC-SELECT™ WALL PACK/40-50-60W/30-50K/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84178>

View TDS: http://www.pqlighting.com/documents/84178_TDS.pdf

DLC Qualification No. **SSWP-B-FSC1-1-MV[-PC,-MS,-SP,Blank][-BLK]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
8760	146	50,000	60	Qualified	5.1	Premium	6/20/22	S-U39CGY	LED Wall Pack	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires

239) **84180** LED SPEC-SELECT™ WALL PACK/80-100-120W/30-50K/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84180>

View TDS: http://www.pqlighting.com/documents/84180_TDS.pdf

DLC Qualification No. **SSWP-C-FSC1-1-MV[-PC,-MS,-SP,Blank][-BLK]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
17520	146	50,000	60	Qualified	5.1	Premium	6/20/22	S-Q0Z5HO	LED Wall Pack	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires 120 W

240) **83100** LED SPEC-SELECT™ CANOPY/21-30-40W/30-50K/DIMM/120-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83100>

View TDS: http://www.pqlighting.com/documents/83100_TDS.pdf

DLC Qualification No. **SSC-A-FSC1-1[-PC,-MS,-SP][-BLK,WHT,-NA,-**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5500	138	50,000	60	Qualified	5.1	Premium	6/15/22	S-DSEF73	LED Canopy	Fuel Pump Canopy Luminaires

Item No. Description

241) **83101** LED SPEC-SELECT™ CANOPY/40-50-60W/30-50K/DIMM/120-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83101>

View TDS: http://www.pqlighting.com/documents/83101_TDS.pdf

DLC Qualification No. **SSC-B-FSC1-1[-PC,-MS,-SP][-BLK,WHT,-NA,-**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Canopy	Fuel Pump Canopy Luminaires
8000	133	50,000	60	Qualified	5.1	Premium	6/15/22	S-C2AXLK		

242) **83099** LED SPEC-SELECT™ CANOPY/21-30-40W/30-50K/DIMM/120-277V/WHT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83099>

View TDS: http://www.pqlighting.com/documents/83099_TDS.pdf

DLC Qualification No. **SSC-A-FSC1-1[-PC,-MS,-SP][-BLK,WHT,-NA,-**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Canopy	Fuel Pump Canopy Luminaires
5500	138	50,000	60	Qualified	5.1	Premium	6/15/22	S-DSEF73		

243) **84038** LED HL STEALTH™/80W/50K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84038>

View TDS: http://www.pqlighting.com/documents/84038_TDS.pdf

DLC Qualification No. **STL3P-80W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12554	153	50,000	60	Qualified	5.1	Premium	6/2/22	S-NI49B8		

244) **84039** LED HL STEALTH™/80W/50K/DIMM/120-277V/WHT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84039>

View TDS: http://www.pqlighting.com/documents/84039_TDS.pdf

DLC Qualification No. **STL3P-80W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12554	153	50,000	60	Qualified	5.1	Premium	6/2/22	S-NI49B8		

245) **84040** LED HL STEALTH™/100W/50K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84040>

View TDS: http://www.pqlighting.com/documents/84040_TDS.pdf

DLC Qualification No. **STL3P-100W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
15839	151	50,000	60	Qualified	5.1	Premium	6/2/22	S-V8TS07		

Item No. Description

246) **84041** LED HL STEALTH™/100W/50K/DIMM/120-277V/WHT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84041>

View TDS: http://www.pqlighting.com/documents/84041_TDS.pdf

DLC Qualification No. **STL3P-100W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
15839	151	50,000	60	Qualified	5.1	Premium	6/2/22	S-V8TS07		

247) **84046** LED HL STEALTH™/300W/50K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84046>

View TDS: http://www.pqlighting.com/documents/84046_TDS.pdf

DLC Qualification No. **STL3P-300W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
43659	146	50,000	60	Qualified	5.1	Premium	6/2/22	S-3GN14C		

248) **84047** LED HL STEALTH™/300W/50K/DIMM/120-277V/WHT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84047>

View TDS: http://www.pqlighting.com/documents/84047_TDS.pdf

DLC Qualification No. **STL3P-300W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
43659	146	50,000	60	Qualified	5.1	Premium	6/2/22	S-3GN14C		

249) **84052** LED HL STEALTH™/150W/50K/DIMM/480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84052>

View TDS: http://www.pqlighting.com/documents/84052_TDS.pdf

DLC Qualification No. **STL3P-150W-5000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
23141	152	50,000	60	Qualified	5.1	Premium	6/2/22	S-QJ3DV9		

250) **84059** LED HL STEALTH™/80W/40K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84059>

View TDS: http://www.pqlighting.com/documents/84059_TDS.pdf

DLC Qualification No. **STL3P-80W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12364	151	50,000	60	Qualified	5.1	Premium	6/2/22	S-89UKQA		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

Item No. Description

251) **84060** LED HL STEALTH™/100W/40K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84060>

View TDS: http://www.pqlighting.com/documents/84060_TDS.pdf

DLC Qualification No. **STL3P-100W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
15617	149	50,000	60	Qualified	5.1	Premium	6/2/22	S-N7BL2V		

252) **84062** LED HL STEALTH™/185W/40K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84062>

View TDS: http://www.pqlighting.com/documents/84062_TDS.pdf

DLC Qualification No. **STL3P-185W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
28386	148	50,000	60	Qualified	5.1	Premium	6/2/22	S-M6G4X0		

253) **84063** LED HL STEALTH™/300W/40K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84063>

View TDS: http://www.pqlighting.com/documents/84063_TDS.pdf

DLC Qualification No. **STL3P-300W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
43376	145	50,000	60	Qualified	5.1	Premium	6/2/22	S-ZFVPE9		

254) **84189** LED HL STEALTH™/80W/40K/TYPE V/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84189>

View TDS: http://www.pqlighting.com/documents/84189_TDS.pdf

DLC Qualification No. **STL3P-80W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12364	151	50,000	60	Qualified	5.1	Premium	6/2/22	S-89UKQA		

255) **84191** LED HL STEALTH™/150W/40K/T5/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84191>

View TDS: http://www.pqlighting.com/documents/84191_TDS.pdf

DLC Qualification No. **STL3P-150W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
23096	150	50,000	60	Qualified	5.1	Premium	6/2/22	S-JOQ0KY		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

As of: 6/4/2026

Page No: 51

Item No. Description

256) **84200** LED HL STEALTH™/80W/40K/60°/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84200>

View TDS: http://www.pqlighting.com/documents/84200_TDS.pdf

DLC Qualification No. **STL3P-80W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12364	151	50,000	60	Qualified	5.1	Premium	6/2/22	S-89UKQA		

257) **84203** LED HL STEALTH™/80W/50K/TYPE V/DIMM/120-277V/BRZ- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84203>

View TDS: http://www.pqlighting.com/documents/84203_TDS.pdf

DLC Qualification No. **STL3P-80W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12554	153	50,000	60	Qualified	5.1	Premium	6/2/22	S-NI49B8		

258) **84206** LED HL STEALTH™/80W/50K/60°/DIMM/120-277V/BRZ- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84206>

View TDS: http://www.pqlighting.com/documents/84206_TDS.pdf

DLC Qualification No. **STL3P-80W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12554	153	50,000	60	Qualified	5.1	Premium	6/2/22	S-NI49B8		

259) **84224** LED HL STEALTH™/150W/50K/TYPE IV/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84224>

View TDS: http://www.pqlighting.com/documents/84224_TDS.pdf

DLC Qualification No. **STL3P-150W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
23385	151	50,000	60	Qualified	5.1	Premium	6/2/22	S-32DOFZ		

260) **84226** LED HL STEALTH™/150W/50K/60°/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84226>

View TDS: http://www.pqlighting.com/documents/84226_TDS.pdf

DLC Qualification No. **STL3P-150W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
23385	151	50,000	60	Qualified	5.1	Premium	6/2/22	S-32DOFZ		

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

Item No. Description

261) **84053** LED HL STEALTH™/300W/50K/DIMM/480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84053>

View TDS: http://www.pqlighting.com/documents/84053_TDS.pdf

DLC Qualification No. **STL3P-300W-5000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
44185	147	50,000	60	Qualified	5.1	Premium	5/24/22	S-H0SG74		

262) **84050** LED HL STEALTH™/80W/50K/DIMM/480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84050>

View TDS: http://www.pqlighting.com/documents/84050_TDS.pdf

DLC Qualification No. **STL3P-80W-5000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12490	154	50,000	60	Qualified	5.1	Premium	5/23/22	S-VI5EXG		

263) **84194** LED HL STEALTH™/80W/40K/TYPE V/DIMM/200-480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84194>

View TDS: http://www.pqlighting.com/documents/84194_TDS.pdf

DLC Qualification No. **STL3P-80W-4000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12291	152	50,000	60	Qualified	5.1	Premium	5/23/22	S-UHMYQL		

264) **84196** LED HL STEALTH™/150W/40K/TYPE V/DIMM/200-480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84196>

View TDS: http://www.pqlighting.com/documents/84196_TDS.pdf

DLC Qualification No. **STL3P-150W-4000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
22749	149	50,000	60	Qualified	5.1	Premium	5/23/22	S-KHSU6J		

265) **84220** LED HL STEALTH™/150W/40K/DIMM/200-480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84220>

View TDS: http://www.pqlighting.com/documents/84220_TDS.pdf

DLC Qualification No. **STL3P-150W-4000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
22749	149	50,000	60	Qualified	5.1	Premium	5/23/22	S-KHSU6J		

Item No. Description

266) **84221** LED HL STEALTH™/150W/40K/60°/DIMM/200-480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84221>

View TDS: http://www.pqlighting.com/documents/84221_TDS.pdf

DLC Qualification No. **STL3P-150W-4000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
22749	149	50,000	60	Qualified	5.1	Premium	5/23/22	S-KHSU6J		

267) **84243** LED HL STEALTH™/185W/40K/TYPE III/DIMM/277-480V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84243>

View TDS: http://www.pqlighting.com/documents/84243_TDS.pdf

DLC Qualification No. **STL3P-185W-4000K-B-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Area Light	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
28527	149	50,000	60	Qualified	5.1	Premium	5/23/22	S-2HKRM4		

268) **91815** LED 8FT 32WT8/40K/TYPE B/DE/SINGLE PIN - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91815>

View TDS: http://www.pqlighting.com/documents/91815_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	8ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
4400	138	50,000	60	Qualified	5.1	Standard	5/20/22	S-KOJNHY		

269) **91817** LED 8FT 40WT8/40K/TYPE B/DE/SINGLE PIN - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91817>

View TDS: http://www.pqlighting.com/documents/91817_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	8ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
5500	138	50,000	60	Qualified	5.1	Standard	5/20/22	S-B4KF2J		

270) **55473** LED 8FT DESIGNER STRIP/90W/40K/DIMM/120-277V- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55473>

View TDS: http://www.pqlighting.com/documents/55473_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Strip	High-Bay Luminaires for Commercial and Industrial Buildings
12060	134	50,000	60	Qualified	5.1	Standard	4/13/22	S-QOXU1C		

Item No. Description

271) **84036** LED HL STEALTH™/60W/50K/DIMM/120-277V/BRZ- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84036>

View TDS: http://www.pqlighting.com/documents/84036_TDS.pdf

DLC Qualification No. **STL3P-60W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8860	147	50,000	60	Qualified	5.1	Premium	2/18/22	PGULJGKU		

272) **84058** LED HL STEALTH™/60W/40K/DIMM/120-277V/BRZ- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84058>

View TDS: http://www.pqlighting.com/documents/84058_TDS.pdf

DLC Qualification No. **STL3P-60W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8696	144	50,000	60	Qualified	5.1	Premium	2/18/22	PCU9R1OB		

273) **84188** LED HL STEALTH™/60W/40K/TYPE V/DIMM/120-277V/BRZ- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84188>

View TDS: http://www.pqlighting.com/documents/84188_TDS.pdf

DLC Qualification No. **STL3P-60W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8696	144	50,000	60	Qualified	5.1	Premium	2/18/22	PCU9R1OB		

274) **84199** LED HL STEALTH™/60W/40K/60°/DIMM/120-277V/BRZ- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84199>

View TDS: http://www.pqlighting.com/documents/84199_TDS.pdf

DLC Qualification No. **STL3P-60W-4000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8696	144	50,000	60	Qualified	5.1	Premium	2/18/22	PCU9R1OB		

275) **84201** LED HL STEALTH™/60W/50K/60°/DIMM/120-277V/BRZ- DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84201>

View TDS: http://www.pqlighting.com/documents/84201_TDS.pdf

DLC Qualification No. **STL3P-60W-5000K-C-MB-HC-P**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8860	147	50,000	60	Qualified	5.1	Premium	2/18/22	PGULJGKU		

Item No. Description

276) **84030** LED STEALTH™/100W/50K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84030>

View TDS: http://www.pqlighting.com/documents/84030_TDS.pdf

DLC Qualification No. STL3S-100W-5000K-C-MB-HC-[N,P]

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Stealth	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
12922	127	50,000	60	Qualified	5.1	Premium	12/8/21	PRC0SVFR		

277) **83917** LED SPEC-SELECT™ DESIGNER FULL CUTOFF WALL PACK/40-50-60-80W/30-50K/DIMM/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83917>

View TDS: http://www.pqlighting.com/documents/83917_TDS.pdf

DLC Qualification No. SSTWP-80[L;H]-[CS]-CC

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Full Cutoff Wall Pack	Outdoor Full-Cutoff Wall-Mounted Area Luminaires
10399	130	50,000	60	Qualified	5.1	Premium	11/23/21	PKPH9883		

278) **83337** LED WALL PACK/20-25-40-60W/50K/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83337>

View TDS: http://www.pqlighting.com/documents/83337_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Wall Pack	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
8100	135	50,000	60	Qualified	5.1	Premium	11/22/21	PLBEP3IQBDVY		

279) **84246** LED STADIUM/300W/50K/30°/DIMM/277-480V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84246>

View TDS: http://www.pqlighting.com/documents/84246_TDS.pdf

DLC Qualification No. RSTL-300-D-EV-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED STADIUM	Outdoor Luminaires
48841	163	50,000	60	Qualified	5.1	Premium	9/10/21	PUYY5KAH		

280) **90407** LED 4FT 15WT8/40K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90407>

View TDS: http://www.pqlighting.com/documents/90407_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Hybrid	Dual Mode Internal Driver (UL Type A and Type B)
2200	122	50,000	60	Qualified	5.1	Standard	9/8/21	PLJAMHDTQ4UJ		

Item No. Description

281) **91828** LED 3FT 10WT8/50K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91828>

View TDS: http://www.pqlighting.com/documents/91828_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1450	126	50,000	60	Qualified	5.1	Standard	7/7/21	PLNAOSX009D2	3ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

282) **91831** LED 4FT 11WT8/40K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91831>

View TDS: http://www.pqlighting.com/documents/91831_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	138	50,000	60	Qualified	5.1	Standard	7/7/21	PLBRQA1C8512	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

283) **91832** LED 4FT 11WT8/50K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91832>

View TDS: http://www.pqlighting.com/documents/91832_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	138	50,000	60	Qualified	5.1	Standard	7/7/21	PLNVWYURAD51	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

284) **91835** LED 4FT 14WT8/40K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91835>

View TDS: http://www.pqlighting.com/documents/91835_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	138	50,000	60	Qualified	5.1	Standard	7/7/21	PLBEY5LKA5GU	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

285) **91836** LED 4FT 14WT8/50K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91836>

View TDS: http://www.pqlighting.com/documents/91836_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	138	50,000	60	Qualified	5.1	Standard	7/7/21	PLCYEQBCD81	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

Item No. Description

286) **91486** LED 4FT 14WT8/35K/TYPE B/DE/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91486>

View TDS: http://www.pqlighting.com/documents/91486_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps
1700	121	50,000	60	Qualified	5.1	Standard	6/28/21	PLGQ9B0H2SQO		

287) **55585** LED 1X4 SPEC-SELECT™ DESIGNER TROFFER/27-40W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55585>

View TDS: http://www.pqlighting.com/documents/55585_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Troffer - Spec-Select™	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5000	125	50,000	60	Qualified	5.1	Premium	6/22/21	PLBDAQJR87QH		

288) **55587** LED 2X4 SPEC-SELECT™ DESIGNER TROFFER/40-50W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55587>

View TDS: http://www.pqlighting.com/documents/55587_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Troffer - Spec-Select™	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
6250	125	50,000	60	Qualified	5.1	Premium	6/22/21	PL2YZM8K0ZIW		

289) **83722** LED SPEC-SELECT™ DUSK TO DAWN/35-50-65W/30/40/50K/DIMM/120-277V/BRZ/PHOTO CELL - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83722>

View TDS: http://www.pqlighting.com/documents/83722_TDS.pdf

DLC Qualification No. **SSDTD-35/50/65W-30/40/50K-MV**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Dusk to Dawn	Outdoor Pole/Arm-Mounted Area and Roadway Luminaires
8125	125	50,000	60	Qualified	5.1	Premium	4/8/21	PJI424VD		

290) **90884** LED 15WT8/U 1 5/8IN/50K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90884>

View TDS: http://www.pqlighting.com/documents/90884_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	U Shape LED Tube Hybrid	Replacement Lamps (plug and play) (UL Type A)
2200	122	50,000	60	Qualified	5.1	Standard	3/25/21	PLT300U3D42L		

Item No. Description

291) **90882** LED 15WT8/U 1 5/8IN/35K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90882>

View TDS: http://www.pqlighting.com/documents/90882_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2175	121	50,000	60	Qualified	5.1	Standard	3/25/21	PL11HJBUNI34	U Shape LED Tube Hybrid	Replacement Lamps (plug and play) (UL Type A)

292) **90883** LED 15WT8/U 1 5/8IN/40K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90883>

View TDS: http://www.pqlighting.com/documents/90883_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	122	50,000	60	Qualified	5.1	Standard	3/25/21	PLS9Z80LGVSB	U Shape LED Tube Hybrid	Replacement Lamps (plug and play) (UL Type A)

293) **83913** LED SPEC-SELECT STEALTH™ FULL CUTOFF WALL PACK/20-30-45-50W/30-50K/120-277V/WHT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83913>

View TDS: http://www.pqlighting.com/documents/83913_TDS.pdf

DLC Qualification No. SPSTLWP-50-[L;H]V-[C;MC;PC;PSC;SC]-TK

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
6343	127	50,000	60	Qualified	5.1	Premium	2/10/21	PLYQKVIIZ7G1	LED Full Cutoff Wall Pack	Outdoor Full-Cutoff Wall-Mounted Area Luminaires

294) **83915** LED SPEC-SELECT STEALTH™ FULL CUTOFF WALL PACK/80-90-100-120W/30-50K/120-277V/WHT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83915>

View TDS: http://www.pqlighting.com/documents/83915_TDS.pdf

DLC Qualification No. SPSTLWP-120-[L;H]V-[C;MC;PC;PSC;SC]-TK

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
14500	120	50,000	60	Qualified	5.1	Premium	2/10/21	PLI1VAX85I8I	LED Full Cutoff Wall Pack	Outdoor Full-Cutoff Wall-Mounted Area Luminaires

295) **83910** LED SPEC-SELECT STEALTH™ FULL CUTOFF WALL PACK/20-30-45-50W/30-50K/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83910>

View TDS: http://www.pqlighting.com/documents/83910_TDS.pdf

DLC Qualification No. SPSTLWP-50-[L;H]V-[C;MC;PC;PSC;SC]-TK

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
6343	127	50,000	60	Qualified	5.1	Premium	2/10/21	PLYQKVIIZ7G1	LED Full Cutoff Wall Pack	Outdoor Full-Cutoff Wall-Mounted Area Luminaires

Item No. Description

296) **83911** LED SPEC-SELECT STEALTH™ FULL CUTOFF WALL PACK/80-90-100-120W/30-50K/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83911>

View TDS: http://www.pqlighting.com/documents/83911_TDS.pdf

DLC Qualification No. SPSTLWP-120-[L;H]V-[C;MC;PC;PSC;SC]-TK

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Full Cutoff Wall Pack	Outdoor Full-Cutoff Wall-Mounted Area Luminaires
14500	120	50,000	60	Qualified	5.1	Premium	2/10/21	PLI1VAX85I8I		

297) **83685** LED MINI WALL PACK/12W/40K/CL/DIMM/120-277V/BLK - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83685>

View TDS: http://www.pqlighting.com/documents/83685_TDS.pdf

DLC Qualification No. MWP-12-[D,P]-40K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Wall Pack	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
1631	141	50,000	60	Qualified	5.1	Premium	1/27/21	PL8GRTZEPXQF		

298) **93809** LED SNAP & GO™ MAGNETIC MODULES/40W/50K/FR/DIMM/100-277V • 3X4FT - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=93809>

View TDS: http://www.pqlighting.com/documents/93809_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED 48in Module	Linear Retrofit Kits for 2x4 Luminaires
4650	116	50,000	60	Qualified	5.1	Standard	11/17/20	PL3J2V8063KS		

299) **84252** LED STADIUM/600W/50K/30°/DIMM/277-480V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84252>

View TDS: http://www.pqlighting.com/documents/84252_TDS.pdf

DLC Qualification No. RSTL-600-D-EV-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED STADIUM	Architectural Flood and Spot Luminaires
90756	151	50,000	60	Qualified	5.1	Premium	11/9/20	PLV4HGMWRSM9		

300) **91492** LED 4FT 18.5WT8/35K/TYP E B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91492>

View TDS: http://www.pqlighting.com/documents/91492_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
2450	132	50,000	60	Qualified	5.1	Standard	9/29/20	PLBSCJFNI93Y		

Item No. Description

301) **91493** LED 4FT 18.5WT8/40K/TYPE B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91493>

View TDS: http://www.pqlighting.com/documents/91493_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
2600	141	50,000	60	Qualified	5.1	Standard	9/29/20	PL7KJ0RPDB1U		

302) **91447** LED 4FT 18.5WT8/50K/TYPE B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91447>

View TDS: http://www.pqlighting.com/documents/91447_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
2600	141	50,000	60	Qualified	5.1	Standard	9/29/20	PL3H5MX00DBT		

303) **83900** LED STEALTH™ FULL CUTOFF WALL PACK/30W/50K/120-347V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83900>

View TDS: http://www.pqlighting.com/documents/83900_TDS.pdf

DLC Qualification No. STLWP-30-347-[D,P,M]-50K

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Full Cutoff Wall Pack	Outdoor Full-Cutoff Wall-Mounted Area Luminaires
4076	136	50,000	60	Qualified	5.1	Premium	6/2/20	PL5P3YK2YDML		

304) **91553** LED TONE-SELECT™ 9W/PLUG & GO™/30-35-40K/120°/120-277V/G24Q 4 PIN/H - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91553>

View TDS: http://www.pqlighting.com/documents/91553_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED CFL	Replacement Lamps (plug and play) (UL Type A)
1025	93	50,000	60	Qualified	5.1	Standard	5/12/20	PLPDWN2RC74F		

305) **55612** LED 8FT SPEC-SELECT™ DESIGNER STRIP/38-46-54W/35-50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55612>

View TDS: http://www.pqlighting.com/documents/55612_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Designer Strip SPEC-SELECT	Direct Linear Ambient Luminaires
5396	142	50,000	60	Qualified	5.1	Standard	5/11/20	PLF1XKO5J6AA		

Item No. Description

306) **84136** LED FLOOD LIGHT/50W/40K/120-277V/BRZ • 1/2IN KNUCKLE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84136>

View TDS: http://www.pqlighting.com/documents/84136_TDS.pdf

DLC Qualification No. **84136 [Wide Distribution Only]**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Flood	Architectural Flood and Spot Luminaires
6600	132	50,000	60	Qualified	5.1	Premium	5/8/20	PLEWHAZVRP0U		

307) **84170** LED WALL PACK/40W/50K/120-277V/BRZ - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=84170>

View TDS: http://www.pqlighting.com/documents/84170_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	LED Wall Pack	Outdoor Non-Cutoff and Semi-Cutoff Wall-Mounted Area Luminaires
4800	120	50,000	60	Qualified	5.1	Standard	5/8/20	PLE3TYSRIP9M		

308) **90439** LED 13WT8/U6/35K/TYPE A & B - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90439>

View TDS: http://www.pqlighting.com/documents/90439_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	U Shape LED Tube Hybrid	Dual Mode Internal Driver (UL Type A and Type B)
1950	122	50,000	60	Qualified	5.1	Standard	8/9/19	PLQB9PV8ILX1		

309) **55404** LED 1X4 SPECTRA PANEL/40W/30-50K/DIMM/100-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55404>

View TDS: http://www.pqlighting.com/documents/55404_TDS.pdf

DLC Qualification No. **LSP-40-14-2835-DD-120-MCCT**

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 1x4 - Spectra	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
4400	110	50,000	60	Qualified	5.1	Standard	7/11/19	PL86C4TBWJAQ		

310) **55425** LED 1X4 PANEL/40W/35K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55425>

View TDS: http://www.pqlighting.com/documents/55425_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 1x4 - Standard	1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
4050	101	50,000	60	Qualified	5.1	Standard	1/15/19	PL74E0UFRFGT		

Item No. Description

311) **55428** LED 2X2 PANEL/40W/35K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55428>

View TDS: http://www.pqlighting.com/documents/55428_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x2 - Standard	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
4450	111	50,000	60	Qualified	5.1	Standard	1/15/19	PLXX6SJYHWZK		

312) **55429** LED 2X2 PANEL/40W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55429>

View TDS: http://www.pqlighting.com/documents/55429_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x2 - Standard	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
4500	113	50,000	60	Qualified	5.1	Standard	1/15/19	PLW38OPDNX7W		

313) **55430** LED 2X2 PANEL/40W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55430>

View TDS: http://www.pqlighting.com/documents/55430_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x2 - Standard	2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces
4500	113	50,000	60	Qualified	5.1	Standard	1/15/19	PL31IW9UIQAZ		

314) **55431** LED 2X4 PANEL/50W/35K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55431>

View TDS: http://www.pqlighting.com/documents/55431_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x4 - Standard	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5550	111	50,000	60	Qualified	5.1	Standard	1/15/19	PLHDYKS5PQ2U		

315) **55432** LED 2X4 PANEL/50W/40K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55432>

View TDS: http://www.pqlighting.com/documents/55432_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Panel 2x4 - Standard	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces
5600	112	50,000	60	Qualified	5.1	Standard	1/15/19	PL01JQ9Q18XS		

Item No. Description

316) **55433** LED 2X4 PANEL/50W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55433>

View TDS: http://www.pqlighting.com/documents/55433_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5600	112	50,000	60	Qualified	5.1	Standard	1/15/19	PL3ALAZ61IME	Panel 2x4 - Standard	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

317) **55436** LED 2X4 PANEL/75W/50K/DIMM/120-277V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=55436>

View TDS: http://www.pqlighting.com/documents/55436_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
8300	111	50,000	60	Qualified	5.1	Standard	1/15/19	PLOFSXWQ8IBB	Panel 2x4 - Standard	2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces

318) **91585** LED 65WT30/50K/360°/CL/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91585>

View TDS: http://www.pqlighting.com/documents/91585_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
7230	111	50,000	60	Qualified	5.1	Standard	11/16/18	PLU77JFQLGDW	LED High Wattage 360°	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B)

319) **91271** LED 23WT5/PLL/40K/115°/FR/120-277V/2G11 - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91271>

View TDS: http://www.pqlighting.com/documents/91271_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2800	122	50,000	60	Qualified	5.1	Standard	11/15/18	PLFH1KCOINDK	LED Plug in	Internal Driver/Line Voltage (UL Type B) Lamps

320) **91270** LED 23WT5/PLL/35K/115°/FR/120-277V/2G11 - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91270>

View TDS: http://www.pqlighting.com/documents/91270_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2600	113	50,000	60	Qualified	5.1	Standard	11/15/18	PL54VO3LVSER	LED Plug in	Internal Driver/Line Voltage (UL Type B) Lamps

Item No. Description

321) **90736** LED 3FT 12WT8/35K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90736>

View TDS: http://www.pqlighting.com/documents/90736_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1400	117	50,000	60	Qualified	5.1	Standard	11/15/18	PL10P3ZA07CP	3ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

322) **90737** LED 3FT 12WT8/40K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90737>

View TDS: http://www.pqlighting.com/documents/90737_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1450	121	50,000	60	Qualified	5.1	Standard	11/15/18	PLM139TP0NQH	3ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

323) **90738** LED 3FT 12WT8/50K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90738>

View TDS: http://www.pqlighting.com/documents/90738_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1450	121	50,000	60	Qualified	5.1	Standard	11/15/18	PLB7QE4WN3GB	3ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

324) **91272** LED 23WT5/PLL/50K/115°/FR/120-277V/2G11 - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91272>

View TDS: http://www.pqlighting.com/documents/91272_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2800	122	50,000	60	Qualified	5.1	Standard	11/15/18	PLLSZC5L2F7I	LED Plug in	Internal Driver/Line Voltage (UL Type B) Lamps

325) **91423** LED 8FT 42WT8/50K/TYPE A/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91423>

View TDS: http://www.pqlighting.com/documents/91423_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
5800	129	50,000	60	Qualified	5.1	Standard	10/31/18	PLKWXP0B5UVN	8ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

Item No. Description

326) **91190** LED 4FT 14WT8/35K/TYP E B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91190>

View TDS: http://www.pqlighting.com/documents/91190_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)
1800	129	50,000	60	Qualified	5.1	Standard	9/20/18	PLV10JAPMJ5P		

327) **91191** LED 4FT 14WT8/40K/TYP E B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91191>

View TDS: http://www.pqlighting.com/documents/91191_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)
1800	129	50,000	60	Qualified	5.1	Standard	9/20/18	PL2PDOBCA1EQ		

328) **91192** LED 4FT 14WT8/50K/TYP E B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91192>

View TDS: http://www.pqlighting.com/documents/91192_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)
1800	129	50,000	60	Qualified	5.1	Standard	9/20/18	PL5S267XS4U2		

329) **91193** LED 4FT 17WT8/35K/TYP E B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91193>

View TDS: http://www.pqlighting.com/documents/91193_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)
2200	129	50,000	60	Qualified	5.1	Standard	9/20/18	PL20MGY7WO7Y		

330) **91194** LED 4FT 17WT8/40K/TYP E B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91194>

View TDS: http://www.pqlighting.com/documents/91194_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)
2200	129	50,000	60	Qualified	5.1	Standard	9/20/18	PLMBRT6EJSQT		

Item No. Description

331) **91195** LED 4FT 17WT8/50K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91195>

View TDS: http://www.pqlighting.com/documents/91195_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	129	50,000	60	Qualified	5.1	Standard	9/20/18	PLHOFIMEMCF2	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

332) **91139** LED 4FT 14WT8/40K/TYPE B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91139>

View TDS: http://www.pqlighting.com/documents/91139_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	8/27/18	PLS2SBG9HJKJ	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

333) **91142** LED 4FT 17WT8/40K/TYPE B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91142>

View TDS: http://www.pqlighting.com/documents/91142_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	129	50,000	60	Qualified	5.1	Standard	8/27/18	PLAHMJVHTOOU	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

334) **91143** LED 4FT 17WT8/50K/TYPE B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91143>

View TDS: http://www.pqlighting.com/documents/91143_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	129	50,000	60	Qualified	5.1	Standard	8/27/18	PLAJEAC5Y1AO	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

335) **91138** LED 4FT 14WT8/35K/TYPE B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91138>

View TDS: http://www.pqlighting.com/documents/91138_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	129	50,000	60	Qualified	5.1	Standard	8/27/18	PLCJO1CL487D	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

Item No. Description

336) **91141** LED 4FT 17WT8/35K/TYPE B/DE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91141>
View TDS: http://www.pqlighting.com/documents/91141_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	129	50,000	60	Qualified	5.1	Standard	8/27/18	PL0EJ5J4ON6B	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

337) **91580** LED 45WT30/50K/360°/CL/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91580>
View TDS: http://www.pqlighting.com/documents/91580_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
4776	108	50,000	60	Qualified	5.1	Standard	6/25/18	PLHGDGB0CVPY	LED High Wattage 360°	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B)

338) **91581** LED 54WT30/50K/360°/CL/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91581>
View TDS: http://www.pqlighting.com/documents/91581_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
6205	110	50,000	60	Qualified	5.1	Standard	6/25/18	PLSDRNLRQ4VJ	LED High Wattage 360°	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B)

339) **91583** LED 100WT44/50K/360°/CL/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91583>
View TDS: http://www.pqlighting.com/documents/91583_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
10845	113	50,000	60	Qualified	5.1	Standard	6/25/18	PLQN9P5C6VWG	LED High Wattage 360°	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B)

340) **91584** LED 120WT44/50K/360°/CL/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91584>
View TDS: http://www.pqlighting.com/documents/91584_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
12636	112	50,000	60	Qualified	5.1	Standard	6/25/18	PLRF9K2E107A	LED High Wattage 360°	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B)

Item No. Description

341) **91569** LED 54WT30/30K/360°/CL/120-277V/MOG - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91569>

View TDS: http://www.pqlighting.com/documents/91569_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
6205	110		60	Qualified	5.1	Standard	6/25/18	PL5UVSLLKXU9	LED High Wattage 360°	Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B)

342) **91274** LED 4FT 11.5WT8/35K/TYPE B/DE/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91274>

View TDS: http://www.pqlighting.com/documents/91274_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1700	148	50,000	60	Qualified	5.1	Standard	5/29/18	PL29X6U1GJUW	4ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

343) **91030** LED 4FT 10.5WT8/35K/TYPE A/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91030>

View TDS: http://www.pqlighting.com/documents/91030_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1708	122	50,000	60	Qualified	5.1	Standard	2/22/18	PLGGZIYPEAM0	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

344) **91032** LED 4FT 10.5WT8/50K/TYPE A/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91032>

View TDS: http://www.pqlighting.com/documents/91032_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1806	129	50,000	60	Qualified	5.1	Standard	2/22/18	PLT006SUW610	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

345) **91027** LED 4FT 10.5WT8/35K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91027>

View TDS: http://www.pqlighting.com/documents/91027_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1650	157	50,000	60	Qualified	5.1	Standard	2/1/18	PLLH5D196SQX	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

Item No. Description

346) **91028** LED 4FT 10.5WT8/40K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91028>

View TDS: http://www.pqlighting.com/documents/91028_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1700	162	50,000	60	Qualified	5.1	Standard	2/1/18	PLG9J8CPDNER	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

347) **91029** LED 4FT 10.5WT8/50K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91029>

View TDS: http://www.pqlighting.com/documents/91029_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1700	162	50,000	60	Qualified	5.1	Standard	2/1/18	PL5G68KECJ20	4ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

348) **90449** LED 45.8IN 25WT5/40K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90449>

View TDS: http://www.pqlighting.com/documents/90449_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3500	125	50,000	60	Qualified	5.1	Standard	12/29/17	PLBW48GLU7CH	T5 LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

349) **90450** LED 45.8IN 25WT5/50K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90450>

View TDS: http://www.pqlighting.com/documents/90450_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3500	125	50,000	60	Qualified	5.1	Standard	12/29/17	PL5XAQVH5AY4	T5 LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

350) **90417** LED 4FT 14WT8/35K/TYPE A & B/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90417>

View TDS: http://www.pqlighting.com/documents/90417_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2000	114	50,000	60	Qualified	5.1	Standard	12/11/17	PLX5P3ZB3B6T	4ft LED Tube Hybrid	Dual Mode Internal Driver (UL Type A and Type B)

Item No. Description

351) **90419** LED 4FT 14WT8/50K/TYPE A & B/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90419>

View TDS: http://www.pqlighting.com/documents/90419_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2200	126	50,000	60	Qualified	5.1	Standard	12/11/17	PLOX909KQZTV	4ft LED Tube Hybrid	Dual Mode Internal Driver (UL Type A and Type B)

352) **91325** LED 2FT 9WT8/50K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91325>

View TDS: http://www.pqlighting.com/documents/91325_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1380	115	50,000	60	Qualified	5.1	Standard	9/19/17	PL2I22A1AM2T	2ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

353) **91324** LED 2FT 9WT8/40K/TYPE A - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91324>

View TDS: http://www.pqlighting.com/documents/91324_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1350	113	50,000	60	Qualified	5.1	Standard	9/19/17	PL4DCKNEA0WN	2ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

354) **91400** LED 4FT 13WT8/40K/TYPE A/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91400>

View TDS: http://www.pqlighting.com/documents/91400_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2000	118	50,000	60	Qualified	5.1	Standard	9/8/17	PLA6YJG8UR7	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

355) **90428** LED 45.8IN 13WT5/T6/40K/120-277V/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90428>

View TDS: http://www.pqlighting.com/documents/90428_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	138	50,000	60	Qualified	5.1	Standard	8/1/17	PLY4FNP5VXYF	T5 LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

Item No. Description

356) **90429** LED 45.8IN 13WT5/T6/50K/120-277V/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90429>

View TDS: http://www.pqlighting.com/documents/90429_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T5 LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
1800	138	50,000	60	Qualified	5.1	Standard	8/1/17	PLWZD4TMXR02		

357) **90433** LED 45.8IN 25WT5/T6/35K/120-277V/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90433>

View TDS: http://www.pqlighting.com/documents/90433_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	T5 LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps
3200	128	50,000	60	Qualified	5.1	Standard	6/23/17	PR7SUHQ		

358) **83945** LED 5FT V-COOLER/20W/40K/270°/120V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83945>

View TDS: http://www.pqlighting.com/documents/83945_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	5ft COOLER	Direct Linear Ambient Luminaires
2400	120	50,000	60	Qualified	5.1	Standard	6/1/17	PPM68R76		

359) **83948** LED 6FT V-COOLER/22W/40K/270°/120V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83948>

View TDS: http://www.pqlighting.com/documents/83948_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	6ft COOLER	Direct Linear Ambient Luminaires
3190	145	50,000	60	Qualified	5.1	Standard	6/1/17	P3HJ6J3B		

360) **83946** LED 5FT V-COOLER/20W/50K/270°/120V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83946>

View TDS: http://www.pqlighting.com/documents/83946_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	5ft COOLER	Direct Linear Ambient Luminaires
2400	120	50,000	60	Qualified	5.1	Standard	6/1/17	P8QFSCZ9		

Item No. Description

361) **83949** LED 6FT V-COOLER/22W/50K/270°/120V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=83949>

View TDS: http://www.pqlighting.com/documents/83949_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3190	145	50,000	60	Qualified	5.1	Standard	6/1/17	P4SQ8Y8G	6ft COOLER	Direct Linear Ambient Luminaires

362) **90475** LED 9W/PLUG & GO™/40K/120-277V/G24Q 4 PIN/H - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90475>

View TDS: http://www.pqlighting.com/documents/90475_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1050	91	50,000	60	Qualified	5.1	Standard	5/18/17	P6U7KGDH	LED CFL	Replacement Lamps (plug and play) (UL Type A)

363) **90470** LED 9W/PLUG & GO™/30K/120-277V/G24Q 4 PIN/V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90470>

View TDS: http://www.pqlighting.com/documents/90470_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
950	86	50,000	60	Qualified	5.1	Standard	5/18/17	PNR21Z6Y	LED CFL	Replacement Lamps (plug and play) (UL Type A)

364) **90471** LED 9W/PLUG & GO™/40K/120-277V/G24Q 4 PIN/V - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90471>

View TDS: http://www.pqlighting.com/documents/90471_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1050	95	50,000	60	Qualified	5.1	Standard	5/18/17	P77TJTUU	LED CFL	Replacement Lamps (plug and play) (UL Type A)

365) **90474** LED 9W/PLUG & GO™/30K/120-277V/G24Q 4 PIN/H - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90474>

View TDS: http://www.pqlighting.com/documents/90474_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
950	86	50,000	60	Qualified	5.1	Standard	5/18/17	P3SA7KCE	LED CFL	Replacement Lamps (plug and play) (UL Type A)

Item No. Description

366) **91328** LED 4FT 16.5WT8/40K/TYPE B/DE/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91328>

View TDS: http://www.pqlighting.com/documents/91328_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2300	139	50,000	60	Qualified	5.1	Standard	4/24/17	PJAHQR9G	T8 Direct Wire - 4FT	Internal Driver/Line Voltage (UL Type B) Lamps

367) **91281** LED 4FT 14.5WT8/35K/TYPE B/SE/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91281>

View TDS: http://www.pqlighting.com/documents/91281_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1900	127	50,000	60	Qualified	5.1	Standard	3/22/17	PZ2XQKP2	4ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

368) **91282** LED 4FT 14.5WT8/40K/TYPE B/SE/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91282>

View TDS: http://www.pqlighting.com/documents/91282_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2000	133	50,000	60	Qualified	5.1	Standard	3/22/17	P1R5V4FR	4ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

369) **91283** LED 4FT 14.5WT8/50K/TYPE B/SE/SAFETY COATED - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91283>

View TDS: http://www.pqlighting.com/documents/91283_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2100	140	50,000	60	Qualified	5.1	Standard	3/22/17	PPGKU3R3	4ft LED Tube Direct Wire	Internal Driver/Line Voltage (UL Type B) Lamps

370) **91287** LED 2FT 9WT8/50K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=91287>

View TDS: http://www.pqlighting.com/documents/91287_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1250	139	50,000	60	Qualified	5.1	Standard	3/20/17	P9NZHAE1	2ft LED Tube Direct Wire	Internal Driver Lamp-Style Retrofit Kits (UL Type B)

Item No. Description

371) **91319** **LED 45.8IN 25.5WT5/50K/TYPE A/SAFETY COATED - DLC® 5.1** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=91319](http://www.pqlighting.com/productdetails.cfm?i=91319)
[View TDS: http://www.pqlighting.com/documents/91319_TDS.pdf](http://www.pqlighting.com/documents/91319_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
3600	126	50,000	60	Qualified	5.1	Standard	3/14/17	PKUADMEX	T5 LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

372) **91289** **LED 4FT 13WT8/35K/TYPE A - DLC® 5.1** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=91289](http://www.pqlighting.com/productdetails.cfm?i=91289)
[View TDS: http://www.pqlighting.com/documents/91289_TDS.pdf](http://www.pqlighting.com/documents/91289_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1950	122	50,000	60	Qualified	5.1	Standard	3/14/17	P29M3QZN	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

373) **91294** **LED 4FT 17WT8/50K/TYPE A - DLC® 5.1** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=91294](http://www.pqlighting.com/productdetails.cfm?i=91294)
[View TDS: http://www.pqlighting.com/documents/91294_TDS.pdf](http://www.pqlighting.com/documents/91294_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2600	130	50,000	60	Qualified	5.1	Standard	2/27/17	PQ6NMBPJ	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

374) **91313** **LED 4FT 13WT8/35K/TYPE A/SAFETY COATED - DLC® 5.1** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=91313](http://www.pqlighting.com/productdetails.cfm?i=91313)
[View TDS: http://www.pqlighting.com/documents/91313_TDS.pdf](http://www.pqlighting.com/documents/91313_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1950	122	50,000	60	Qualified	5.1	Standard	1/25/17	PT925UU8	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

375) **91315** **LED 4FT 13WT8/50K/TYPE A/SAFETY COATED - DLC® 5.1** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=91315](http://www.pqlighting.com/productdetails.cfm?i=91315)
[View TDS: http://www.pqlighting.com/documents/91315_TDS.pdf](http://www.pqlighting.com/documents/91315_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
2000	125	50,000	60	Qualified	5.1	Standard	1/25/17	PQVBJ6SJ	4ft LED Tube Plug & Go	Replacement Lamps (plug and play) (UL Type A)

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

Item No. Description

376) **90468** LED 4FT 13.5WT8/40K/DIMM/120V/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90468>

View TDS: http://www.pqlighting.com/documents/90468_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	133	50,000	60	Qualified	5.1	Standard	8/31/16	P9WHPJDD	4ft LED Tube Dimmable Direct Wire	Internal driver Lamp-style retrofit kits (UL Type B)

377) **90469** LED 4FT 13.5WT8/50K/DIMM/120V/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90469>

View TDS: http://www.pqlighting.com/documents/90469_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1800	133	50,000	60	Qualified	5.1	Standard	8/31/16	PNQ82QB8	4ft LED Tube Dimmable Direct Wire	Internal driver Lamp-style retrofit kits (UL Type B)

378) **90593** LED 4FT 12WT8/35K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90593>

View TDS: http://www.pqlighting.com/documents/90593_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1700	142	50,000	60	Qualified	5.1	Standard	6/10/16	PC81HNKA	4ft LED Tube Direct Wire	Internal driver Lamp-style retrofit kits (UL Type B)

379) **90567** LED 4FT 12WT8/40K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90567>

View TDS: http://www.pqlighting.com/documents/90567_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1794	150	50,000	60	Qualified	5.1	Standard	11/11/15	PWJ7TPRB	4ft LED Tube Direct Wire	Internal driver Lamp-style retrofit kits (UL Type B)

380) **90568** LED 4FT 12WT8/50K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90568>

View TDS: http://www.pqlighting.com/documents/90568_TDS.pdf

DLC Qualification No. L-DW-4ft-T8-12-50-MV

* Use DLC Qualification number to search DLC's QPL.

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1794	150	50,000	60	Qualified	5.1	Standard	11/11/15	PFYBMVRD	4ft LED Tube Direct Wire	Internal driver Lamp-style retrofit kits (UL Type B)

Item No. Description

381) **90578** LED 4FT 12WT8/30K/TYPE B/SE - DLC® 5.1

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=90578>

View TDS: http://www.pqlighting.com/documents/90578_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID		
1794	150	50,000	60	Qualified	5.1	Standard	11/11/15	PZWQDWKS	4ft LED Tube Direct Wire	Internal driver Lamp-style retrofit kits (UL Type B)

382) **PL4BHP154C1** LED SPEC-SELECT™ PLC 8/10/12/14W/30-35-40K/360°/TYPE A & B/120-277V/G24Q 4 PIN

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=PL4BHP154C1>

View TDS: http://www.pqlighting.com/documents/PL4BHP154C1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	
		50,000	60	In Progress	6.0						HYBRID - Plug In 360°

383) **PL4VHP154C1** LED SPEC-SELECT™ PLC 8/10/12/14W/30-35-40K/120°/TYPE A & B/120-277V/G24Q 4 PIN

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=PL4VHP154C1>

View TDS: http://www.pqlighting.com/documents/PL4VHP154C1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	
		50,000	60	In Progress	6.0						HYBRID - Plug In 120°

384) **PLL4BH105C1** LED TONE-SELECT™ PLL 10W/30-35-40-50-60K/150°/TYPE A & B/120-277V/2G11 4 PIN

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=PLL4BH105C1>

View TDS: http://www.pqlighting.com/documents/PLL4BH105C1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	
		50,000	60	In Progress	6.0						HYBRID - Plug In 150°

385) **PLL4BH205C1** LED TONE-SELECT™ PLL 20W/30-35-40-50-60K/150°/TYPE A & B/120-277V/2G11 4 PIN

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=PLL4BH205C1>

View TDS: http://www.pqlighting.com/documents/PLL4BH205C1_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	
		50,000	60	In Progress	6.0						HYBRID - Plug In 150°

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

As of: 6/4/2026

Page No: 77

Item No. Description

386) **APT1P1503C5SK** LED SPEC-SELECT™ DESIGNER POST TOP/90-120-150W/30-40-50K/TYPE V/100-277V/BLACK

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=APT1P1503C5SK>
View TDS: http://www.pqlighting.com/documents/APT1P1503C5SK_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	Post Top
		50,000	60	In Progress	6.0						

387) **HLT1CP1152CUW** LED 1.4FT SPEC-SELECT LINEAR HIGH BAY/78-92-115W/40-50K/DIMM/ISO/120-277V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLT1CP1152CUW>
View TDS: http://www.pqlighting.com/documents/HLT1CP1152CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
			60	In Progress	6.0	Premium						

388) **HLM12P1352CUW** LED 2FT SPEC-SELECT™ LINEAR HIGH BAY/100-115-135W/40-50K/DIMM/120-277V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLM12P1352CUW>
View TDS: http://www.pqlighting.com/documents/HLM12P1352CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress	6.0							

389) **HLM12P2002CUW** LED 2FT SPEC-SELECT™ LINEAR HIGH BAY/155-185-200W/40-50K/DIMM/120-277V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLM12P2002CUW>
View TDS: http://www.pqlighting.com/documents/HLM12P2002CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress	6.0							

390) **HLM12P2702CUW** LED 2FT SPEC-SELECT LINEAR HIGH BAY/200-230-270W/40-50K/DIMM/120-277V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLM12P2702CUW>
View TDS: http://www.pqlighting.com/documents/HLM12P2702CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress	6.0							

Item No. Description

391) **HLM14P2002CUW** **LED 4FT SPEC-SELECT LINEAR HIGH BAY/155-185-200W/40-50K/DIMM/120-277V** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=HLM14P2002CUW](http://www.pqlighting.com/productdetails.cfm?i=HLM14P2002CUW)
[View TDS: http://www.pqlighting.com/documents/HLM14P2002CUW_TDS.pdf](http://www.pqlighting.com/documents/HLM14P2002CUW_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000		In Progress	6.0							

392) **HLM14P4002CUW** **LED 4FT SPEC-SELECT LINEAR HIGH BAY/270-340-400W/40-50K/DIMM/120-277V** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=HLM14P4002CUW](http://www.pqlighting.com/productdetails.cfm?i=HLM14P4002CUW)
[View TDS: http://www.pqlighting.com/documents/HLM14P4002CUW_TDS.pdf](http://www.pqlighting.com/documents/HLM14P4002CUW_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress	6.0							

393) **HLM12P1352CHW** **LED 2FT SPEC-SELECT LINEAR HIGH BAY/100-115-135W/40-50K/DIMM/277-480V** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=HLM12P1352CHW](http://www.pqlighting.com/productdetails.cfm?i=HLM12P1352CHW)
[View TDS: http://www.pqlighting.com/documents/HLM12P1352CHW_TDS.pdf](http://www.pqlighting.com/documents/HLM12P1352CHW_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress								

394) **HLM12P2002CHW** **LED 2FT SPEC-SELECT LINEAR HIGH BAY/155-185-200W/40-50K/DIMM/277-480V** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=HLM12P2002CHW](http://www.pqlighting.com/productdetails.cfm?i=HLM12P2002CHW)
[View TDS: http://www.pqlighting.com/documents/HLM12P2002CHW_TDS.pdf](http://www.pqlighting.com/documents/HLM12P2002CHW_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress								

395) **HLM14P4002CHW** **LED 4FT SPEC-SELECT LINEAR HIGH BAY/270-340-400W/40-50K/DIMM/277-480V** [Web Page: http://www.pqlighting.com/productdetails.cfm?i=HLM14P4002CHW](http://www.pqlighting.com/productdetails.cfm?i=HLM14P4002CHW)
[View TDS: http://www.pqlighting.com/documents/HLM14P4002CHW_TDS.pdf](http://www.pqlighting.com/documents/HLM14P4002CHW_TDS.pdf)

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress								

* Disclaimer: The data on this report may change without notice. For official data, please log into the DLC website.

Item No. Description

396) **HLM14P2002CHW** LED 4FT SPEC-SELECT LINEAR HIGH BAY/155-185-200W/40-50K/DIMM/277-480V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=HLM14P2002CHW>
View TDS: http://www.pqlighting.com/documents/HLM14P2002CHW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	High Bay	High-Bay Luminaires for Commercial and Industrial Buildings
		50,000	60	In Progress	▼							

397) **LA22P205CUW** 2FT ARCHITECTURAL LINEAR LED/10-12-16-20W/27-30-35-40-50K/DIMM/120-277V/WHITE

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LA22P205CUW>
View TDS: http://www.pqlighting.com/documents/LA22P205CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	Linear Architectural
		50,000	60	In Progress	▼	6.0					

398) **LA22P205CUK** 2FT ARCHITECTURAL LINEAR LED/10-12-16-20W/27-30-35-40-50K/DIMM/120-277V/BLACK

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LA22P205CUK>
View TDS: http://www.pqlighting.com/documents/LA22P205CUK_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	Linear Architectural
		50,000	60	In Progress	▼	6.0					

399) **LA24P405CUW** 4FT ARCHITECTURAL LINEAR LED/20-24-32-40W/27-30-35-40-50K/DIMM/120-277V/WHITE

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LA24P405CUW>
View TDS: http://www.pqlighting.com/documents/LA24P405CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	Linear Architectural
		50,000	60	In Progress	▼	6.0					

400) **LA24P405CUK** 4FT ARCHITECTURAL LINEAR LED/20-24-32-40W/27-30-35-40-50K/DIMM/120-277V/BLACK

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LA24P405CUK>
View TDS: http://www.pqlighting.com/documents/LA24P405CUK_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	Approved Date	DLC Product ID	Submitted Date	Est Completion	Linear Architectural
		50,000	60	In Progress	▼	6.0					

Item No. Description

401) **LA28P805CUW** 8FT ARCHITECTURAL LINEAR LED/40-48-64-80W/27-30-35-40-50K/DIMM/120-277V/WHITE

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LA28P805CUW>

View TDS: http://www.pqlighting.com/documents/LA28P805CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	Linear Architectural
		50,000	60	In Progress	6.0						

402) **LA28P805CUK** 8FT ARCHITECTURAL LINEAR LED/40-48-64-80W/27-30-35-40-50K/DIMM/120-277V/BLACK

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LA28P805CUK>

View TDS: http://www.pqlighting.com/documents/LA28P805CUK_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	Linear Architectural
		50,000	60	In Progress	6.0						

403) **LT8E4BP183C51** LED 4FT SPEC-SELECT™ 5W EM BATTERY TUBE 12-15-18W/T8/35-40-50K/TYPE B/120-277V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LT8E4BP183C51>

View TDS: http://www.pqlighting.com/documents/LT8E4BP183C51_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	
	0	50,000	60	In Progress	6.0						

404) **BLSS122P415CUW** LED 2X2 SPEC-SELECT SURFACE MOUNT PANEL 20-28-34-41W/30-35-40-50-65K/DIMM/120-277V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=BLSS122P415CUW>

View TDS: http://www.pqlighting.com/documents/BLSS122P415CUW_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	
	0	50,000	60	In Progress	6.0	Standard					

405) **LTC520401** LED 5FT V-COOLER/20W/40K/270°/120V

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LTC520401>

View TDS: http://www.pqlighting.com/documents/LTC520401_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion	
				In Progress	6.0						

Item No. Description

406) **LTC520501** **LED 5FT V-COOLER/20W/50K/270°/120V**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LTC520501>
View TDS: http://www.pqlighting.com/documents/LTC520501_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion
				In Progress	6.0					

407) **LTC622401** **LED 6FT V-COOLER/22W/40K/270°/120V**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LTC622401>
View TDS: http://www.pqlighting.com/documents/LTC622401_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion
				In Progress	6.0					

408) **LTC622501** **LED 6FT V-COOLER/22W/50K/270°/120V**

Web Page: <http://www.pqlighting.com/productdetails.cfm?i=LTC622501>
View TDS: http://www.pqlighting.com/documents/LTC622501_TDS.pdf

Lumens	LPW	Life Hours	Warranty	Status	Version	Type	<u>Approved Date</u>	DLC Product ID	Submitted Date	Est Completion
				In Progress	6.0					